

rteres

Instrument :

FID_E

ClientSampleId :

PB163607BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/24/2024

Supervised By :Ankita Jodhani 09/24/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09232
Data File : FE050306.D
Signal(s) : FID1B.ch
Acq On : 24 Sep 2024 00:17
Sample : PB163607BSD
Misc :
ALS Vial : 26 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 091024.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.271	3.231	3.339	BBA	738744	7145956	48.53%	2.677%
2	4.515	4.438	4.534	BV	793143	7667595	52.07%	2.873%
3	4.553	4.534	4.734	VB	763388	7847596	53.30%	2.940%
4	6.219	6.131	6.458	BB	776885	8088696	54.93%	3.031%
5	6.677	6.651	6.799	BBA	782854	7734138	52.53%	2.898%
6	7.314	7.281	7.494	PV	681361	7236182	49.14%	2.711%
7	8.505	8.471	8.579	BBA	773895	8073858	54.83%	3.025%
8	8.615	8.581	8.788	BV	696647	7395317	50.22%	2.771%
9	8.914	8.884	9.178	VB	784536	8183303	55.58%	3.066%
10	9.702	9.614	9.861	BV	666521	7446703	50.57%	2.790%
11	10.109	10.071	10.201	PBA	711510	8124178	55.17%	3.044%
12	11.108	11.081	11.158	BV	603773	6664485	45.26%	2.497%
13	11.184	11.158	11.328	VV	575818	6724318	45.67%	2.519%
14	11.551	11.511	11.641	PBA	717084	8083790	54.90%	3.029%
15	11.870	11.758	11.978	BB	673379	7265459	49.34%	2.722%
16	12.859	12.831	12.898	BV	668916	7938529	53.91%	2.974%
17	12.929	12.898	13.098	PV	572297	6874682	46.69%	2.576%
18	13.228	13.194	13.271	PV	603635	7301606	49.59%	2.736%
19	13.303	13.271	13.431	VV	490184	6036030	40.99%	2.262%
20	13.469	13.431	13.634	VB	649187	7786567	52.88%	2.917%
21	14.055	13.941	14.148	BB	595161	7621374	51.76%	2.856%
22	15.108	15.044	15.128	BV	445320	5686927	38.62%	2.131%
23	15.154	15.128	15.498	VV	1016219	14724469	100.00%	5.517%
24	16.177	16.141	16.249	BBA	582443	7411990	50.34%	2.777%
25	16.670	16.635	16.683	M	387111	5384192	36.57%	2.017%
26	16.703	16.684	16.833	M	459247	6983011	47.42%	2.616%
27	17.051	17.018	17.091	VV	308678	4742830	32.21%	1.777%
28	17.124	17.091	17.481	VB	557672	8684091	58.98%	3.254%
29	18.012	17.933	18.124	PB	550646	7690287	52.23%	2.881%
30	18.428	18.399	18.447	M	161317	2424956	16.47%	0.909%
31	18.461	18.449	18.591	M	163814	3602780	24.47%	1.350%
32	18.681	18.631	18.801	PBA	155620	3190873	21.67%	1.196%
33	18.843	18.801	19.068	BB	531192	7667013	52.07%	2.873%
34	19.624	19.581	19.751	BV	557981	8106805	55.06%	3.037%
35	20.363	20.318	20.431	VBA	548167	8067976	54.79%	3.023%
36	21.089	21.051	21.169	BBA	456358	7999524	54.33%	2.997%

37 21.977 21.931 22.099 BBA 321309 7290342 49.51% 2.732%
rteres
Sum of corrected areas: 2668

Aliphatic EPH 091024.M Tue Sep 24 05:25:23 2024

Instrument :

FID_E

ClientSampleId :

PB163607BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/24/2024

Supervised By :Ankita Jodhani 09/24/2024