

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE092418\
 Data File : FE028773.D
 Signal(s) : FID1B.CH
 Acq On : 24 Sep 2018 23:07
 Operator : AJ\SJ
 Sample : 4400 PPM TRPH SRD
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Sep 25 06:25:38 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE092118.M
 Quant Title :
 QLast Update : Fri Sep 21 07:24:23 2018
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
13) S TETRACOSANE-d50 (SURR...	14.948	7589496	36.747 ug/ml
Target Compounds			
1) N-OCTANE	2.557	45325416	456.653 ug/ml
2) N-NONANE	3.587	48283992	467.938 ug/ml
3) N-DECANE	4.673	76391835	477.336 ug/ml
4) N-UNDECANE	5.717	84125976	720.558 ug/ml
5) N-DODECANE	6.706	86629603	714.034 ug/ml
6) N-TETRADECANE	8.515	90299814	680.792 ug/ml
7) N-HEXADECANE	10.121	77071461	514.914 ug/ml
8) N-OCTADECANE	11.551	37358022	227.435 ug/ml
9) N-EICOSANE	12.850	14148424	80.671 ug/ml
10) N-TETRACOSANE	15.160	12850671	73.679 ug/ml
11) N-OCTACOSANE	17.130	6422852	41.825 ug/ml
12) N-DOTRIACONTANE	18.855	6204527	47.760 ug/ml
14) N-HEXATRIACONTANE	20.382	4985388	49.337 ug/mlm
15) N-TETRACONTANE	22.185	3702708	51.209 ug/ml
16) N-TETRATETRACOCTANE	25.278	2611194	64.407 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE092418\
Data File : FE028773.D
Signal(s) : FID1B.CH
Acq On : 24 Sep 2018 23:07
Operator : AJ\SJ
Sample : 4400 PPM TRPH SRD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Sep 25 06:25:38 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE092118.M
Quant Title :
QLast Update : Fri Sep 21 07:24:23 2018
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um

