

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE092518\
 Data File : FE028785.D
 Signal(s) : FID1B.CH
 Acq On : 25 Sep 2018 20:37
 Operator : AJ\SJ
 Sample : 4400 PPM TRPH STD
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Sep 26 04:07:06 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE092118.M
 Quant Title :
 QLast Update : Fri Sep 21 07:24:23 2018
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

Compound		R.T.	Response	Conc Units

System Monitoring Compounds				
13) S	TETRACOSANE-d50 (SURR...	14.952	11483045	55.598 ug/ml
Target Compounds				
1)	N-OCTANE	2.547	35980177	362.500 ug/ml
2)	N-NONANE	3.580	38471191	372.838 ug/ml
3)	N-DECANE	4.666	62111740	388.106 ug/ml
4)	N-UNDECANE	5.713	69864534	598.405 ug/ml
5)	N-DODECANE	6.702	73308503	604.237 ug/ml
6)	N-TETRADECANE	8.511	79800007	601.631 ug/ml
7)	N-HEXADECANE	10.118	71467448	477.474 ug/ml
8)	N-OCTADECANE	11.551	36445141	221.877 ug/ml
9)	N-EICOSANE	12.849	14330073	81.706 ug/ml
10)	N-TETRACOSANE	15.160	12484734	71.581 ug/ml
11)	N-OCTACOSANE	17.129	5696663	37.096 ug/ml
12)	N-DOTRIACONTANE	18.855	5474906	42.143 ug/ml
14)	N-HEXATRIACONTANE	20.381	4387071	43.416 ug/ml
15)	N-TETRACONTANE	22.185	3254497	45.010 ug/ml
16)	N-TETRTETRACOOCTANE	25.270	2303370	56.815 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE092518\
Data File : FE028785.D
Signal(s) : FID1B.CH
Acq On : 25 Sep 2018 20:37
Operator : AJ\SJ
Sample : 4400 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Sep 26 04:07:06 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE092118.M
Quant Title :
QLast Update : Fri Sep 21 07:24:23 2018
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped


Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um






#1 N-OCTANE

R.T.: 2.547 min
Delta R.T.: 0.012 min
Response: 35980177
Conc: 362.50 ug/ml




#2 N-NONANE

R.T.: 3.580 min
Delta R.T.: 0.016 min
Response: 38471191
Conc: 372.84 ug/ml




#3 N-DECANE

R.T.: 4.666 min
Delta R.T.: 0.025 min
Response: 62111740
Conc: 388.11 ug/ml




#4 N-UNDECANE

R.T.: 5.713 min
Delta R.T.: 0.029 min
Response: 69864534
Conc: 598.41 ug/ml




#5 N-DODECANE

R.T.: 6.702 min
Delta R.T.: 0.032 min
Response: 73308503
Conc: 604.24 ug/ml




#6 N-TETRADECANE

R.T.: 8.511 min
Delta R.T.: 0.036 min
Response: 79800007
Conc: 601.63 ug/ml




#7 N-HEXADECANE

R.T.: 10.118 min
Delta R.T.: 0.034 min
Response: 71467448
Conc: 477.47 ug/ml




#8 N-OCTADECANE

R.T.: 11.551 min
Delta R.T.: 0.023 min
Response: 36445141
Conc: 221.88 ug/ml




#9 N-EICOSANE

R.T.: 12.849 min
Delta R.T.: 0.010 min
Response: 14330073
Conc: 81.71 ug/ml




#10 N-TETRACOSANE

R.T.: 15.160 min
Delta R.T.: 0.010 min
Response: 12484734
Conc: 71.58 ug/ml




#11 N-OCTACOSANE

R.T.: 17.129 min
Delta R.T.: 0.002 min
Response: 5696663
Conc: 37.10 ug/ml




#12 N-DOTRIACONTANE

R.T.: 18.855 min
Delta R.T.: 0.004 min
Response: 5474906
Conc: 42.14 ug/ml




#13 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.952 min
Delta R.T.: 0.008 min
Response: 11483045
Conc: 55.60 ug/ml




#14 N-HEXATRIACONTANE

R.T.: 20.381 min
Delta R.T.: 0.000 min
Response: 4387071
Conc: 43.42 ug/ml



#15 N-TETRACONTANE

R.T.: 22.185 min
Delta R.T.: -0.002 min
Response: 3254497
Conc: 45.01 ug/ml



#16 N-TETRTETRACOOCTANE

R.T.: 25.270 min
Delta R.T.: -0.016 min
Response: 2303370
Conc: 56.81 ug/ml