

rteres

Instrument :

FID_E

ClientSampleId :

PB147891BS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09262
 Data File : FE037787.D
 Signal(s) : FID1B.ch
 Acq On : 26 Sep 2022 16:38
 Sample : PB147891BS
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Reviewed By :Yogesh Patel 09/27/2022
 Supervised By :Ankita Jodhani 09/27/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 082922.M
 Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.020	3.001	3.117	BB	467398	4854158	42.18%	2.101%
2	4.275	4.233	4.296	BV	539729	5350863	46.50%	2.316%
3	4.314	4.296	4.443	VB	494243	5448445	47.35%	2.359%
4	5.987	5.949	6.175	BB	468485	5812428	50.51%	2.516%
5	6.445	6.402	6.524	BB	577432	6144970	53.40%	2.660%
6	7.080	7.056	7.263	PB	490365	5952667	51.73%	2.577%
7	7.707	7.670	7.885	BB	520634	6148239	53.43%	2.661%
8	8.266	8.221	8.342	BB	582693	6392771	55.55%	2.767%
9	8.374	8.342	8.539	BB	527892	6046333	52.54%	2.617%
10	8.578	8.541	8.646	BV	298466	3803369	33.05%	1.646%
11	8.671	8.646	8.823	VB	588990	6696669	58.19%	2.899%
12	9.459	9.418	9.622	BV	499647	6091251	52.93%	2.637%
13	9.865	9.819	9.937	BB	561020	6435434	55.92%	2.786%
14	10.861	10.814	10.916	BV	492559	5792770	50.34%	2.508%
15	10.938	10.916	11.083	VV	417068	5792319	50.34%	2.507%
16	11.300	11.257	11.369	BB	553021	6474294	56.26%	2.803%
17	11.622	11.577	11.717	BB	562893	6421209	55.80%	2.780%
18	12.603	12.521	12.648	BV	488929	6197907	53.86%	2.683%
19	12.676	12.648	12.830	PB	423513	5539439	48.14%	2.398%
20	12.972	12.931	13.016	BV	420357	5418691	47.09%	2.346%
21	13.044	13.016	13.142	VB	415889	5205143	45.23%	2.253%
22	13.211	13.157	13.270	BB	490221	6100229	53.01%	2.641%
23	13.794	13.755	13.863	BB	478073	5982925	51.99%	2.590%
24	14.853	14.811	14.870	BV	405007	4999830	43.45%	2.164%
25	14.893	14.870	15.092	VB	777436	11507374	100.00%	4.981%
26	15.909	15.838	15.970	BB	427223	5635398	48.97%	2.439%
27	16.415	16.357	16.430	BV	431942	5454208	47.40%	2.361%
28	16.446	16.430	16.606	VB	385093	6015596	52.28%	2.604%
29	16.797	16.753	16.824	BV	346036	4636431	40.29%	2.007%
30	16.852	16.824	16.908	VV	416297	6044130	52.52%	2.616%
31	17.737	17.677	17.799	BB	387086	5488576	47.70%	2.376%
32	18.180	18.115	18.194	BV	395228	5380702	46.76%	2.329%
33	18.208	18.194	18.402	VV	398797	6937881	60.29%	3.003%
34	18.434	18.402	18.524	VV	373414	6193199	53.82%	2.681%
35	18.563	18.524	18.644	VB	386393	5739616	49.88%	2.485%
36	19.345	19.286	19.402	BB	370071	5657412	49.16%	2.449%

	Area	Height	Width	Area%	Height%	Width%	Area%	Height%	Width%
37	20.080	20.031	20.148	BB	359501	5534755	48.10%	2.396%	
38	20.777	20.731	20.854	BB	354602	5691602	49.10%	2.396%	
39	21.553	21.415	21.634	PV	280006	5992349	52.80%	2.396%	
Sum of corrected areas:					2310				

Aliphatic EPH 082922.M Tue Sep 27 08:18:54 2022

Instrument :
FID_E
ClientSampleId :
PB147891BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/27/2022
Supervised By :Ankita Jodhani 09/27/2022