

rteres

Instrument :

FID_E

ClientSampleId :

PB147891BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09262

Data File : FE037788.D

Signal(s) : FID1B.ch

Acq On : 26 Sep 2022 17:10

Sample : PB147891BSD

Misc :

ALS Vial : 9 Sample Multiplier: 1

Reviewed By :Yogesh Patel 09/27/2022

Supervised By :Ankita Jodhani 09/27/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 082922.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.021	3.001	3.118	BB	462172	4815374	42.93%	2.126%
2	4.276	4.233	4.297	BV	523869	5259897	46.89%	2.322%
3	4.315	4.297	4.443	VB	488910	5353913	47.73%	2.363%
4	5.987	5.953	6.181	BB	470239	5722236	51.01%	2.526%
5	6.445	6.401	6.528	BB	576849	6048608	53.92%	2.670%
6	7.081	7.056	7.254	PB	473333	5808366	51.78%	2.564%
7	7.708	7.667	7.880	BB	534023	6343390	56.55%	2.800%
8	8.266	8.221	8.342	BB	591905	6282281	56.01%	2.773%
9	8.375	8.344	8.542	BB	508813	5914182	52.72%	2.611%
10	8.579	8.544	8.646	BV	302496	3918835	34.94%	1.730%
11	8.671	8.646	8.821	VB	575461	6562575	58.51%	2.897%
12	9.459	9.424	9.627	BV	490806	5952161	53.06%	2.627%
13	9.865	9.816	9.936	BB	549808	6311045	56.26%	2.786%
14	10.861	10.818	10.915	BV	481042	5643226	50.31%	2.491%
15	10.938	10.915	11.081	VV	402001	5648959	50.36%	2.493%
16	11.299	11.256	11.368	BB	534243	6329809	56.43%	2.794%
17	11.622	11.573	11.716	BB	562696	6256738	55.78%	2.762%
18	12.603	12.559	12.649	BV	500779	6053977	53.97%	2.672%
19	12.676	12.649	12.822	VB	421649	5397108	48.11%	2.382%
20	12.972	12.927	13.016	BV	435288	5269721	46.98%	2.326%
21	13.045	13.016	13.136	VB	389410	5070396	45.20%	2.238%
22	13.211	13.157	13.281	BB	455002	5944638	53.00%	2.624%
23	13.794	13.755	13.853	VB	464018	5824426	51.92%	2.571%
24	14.853	14.811	14.870	BV	403749	4885942	43.56%	2.157%
25	14.893	14.870	15.092	VB	753094	11217107	100.00%	4.951%
26	15.908	15.851	15.974	BB	405341	5482581	48.88%	2.420%
27	16.415	16.350	16.430	BV	415578	5302747	47.27%	2.341%
28	16.446	16.430	16.616	VB	386954	5858589	52.23%	2.586%
29	16.797	16.753	16.824	BV	313138	4491129	40.04%	1.982%
30	16.852	16.824	16.911	VV	406965	5898634	52.59%	2.604%
31	17.736	17.679	17.796	BB	376628	5341734	47.62%	2.358%
32	18.180	18.115	18.193	BV	393693	5204092	46.39%	2.297%
33	18.207	18.193	18.401	VV	378470	6803455	60.65%	3.003%
34	18.433	18.401	18.523	VV	368845	6046099	53.90%	2.669%
35	18.563	18.523	18.648	VB	377865	5616777	50.07%	2.479%
36	19.344	19.281	19.402	BB	376642	5512102	49.14%	2.433%

	Area	Height	Area%	Height%	Integration	Integration	Integration	Integration
37	20.080	20.031	20.188	BB	359113	5488444	48.93%	2.423%
38	20.778	20.731	20.940	BBA	357236	5857212	52.07%	2.423%
39	21.553	21.461	21.662	BB	271101	5809054	51.00%	2.423%
Sum of corrected areas: 2265								

Aliphatic EPH 082922.M Tue Sep 27 08:19:25 2022

Instrument :
FID_E
ClientSampleId :
PB147891BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/27/2022
Supervised By :Ankita Jodhani 09/27/2022