

rteres

Instrument :

FID_E

ClientSampleId :

PB163736BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/30/2024
Supervised By :Ankita Jodhani 09/30/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09272
Data File : FE050410.D
Signal(s) : FID1B.ch
Acq On : 27 Sep 2024 14:18
Sample : PB163736BS
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 091024.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.266	3.231	3.339	BBA	698320	6923560	49.87%	2.781%
2	4.511	4.448	4.530	BV	770441	7301839	52.59%	2.933%
3	4.549	4.530	4.738	VB	729054	7532263	54.25%	3.026%
4	6.216	6.158	6.488	BB	725351	7622076	54.90%	3.062%
5	6.674	6.651	6.781	BB	736104	7160063	51.57%	2.876%
6	7.311	7.275	7.488	PV	627721	6769719	48.76%	2.719%
7	8.502	8.471	8.579	BBA	723829	7566878	54.50%	3.040%
8	8.612	8.581	8.791	BV	648212	6911175	49.78%	2.776%
9	8.911	8.881	9.161	VB	710317	7659335	55.17%	3.077%
10	9.701	9.628	9.861	BV	608728	6962435	50.15%	2.797%
11	10.106	10.064	10.201	PBA	693475	7586823	54.64%	3.048%
12	11.107	11.081	11.156	BV	558554	6216719	44.78%	2.497%
13	11.183	11.156	11.327	VV	538185	6293259	45.33%	2.528%
14	11.549	11.509	11.641	PBA	680148	7538780	54.30%	3.028%
15	11.867	11.778	11.984	BV	554833	6118506	44.07%	2.458%
16	12.857	12.831	12.898	BV	634919	7317377	52.70%	2.939%
17	12.928	12.898	13.089	PV	537742	6466768	46.58%	2.598%
18	13.227	13.194	13.269	PV	591433	6884141	49.58%	2.765%
19	13.301	13.269	13.397	VV	399226	5111583	36.82%	2.053%
20	13.467	13.431	13.588	VB	599539	7238426	52.14%	2.908%
21	14.052	14.012	14.154	VB	564410	7119036	51.28%	2.860%
22	15.107	15.034	15.127	BV	417937	5357660	38.59%	2.152%
23	15.152	15.127	15.501	VV	970829	13883885	100.00%	5.577%
24	16.174	16.141	16.249	BBA	544339	6953866	50.09%	2.793%
25	16.669	16.551	16.685	BV	374331	5188312	37.37%	2.084%
26	16.701	16.685	16.913	VV	428590	6989006	50.34%	2.807%
27	17.049	17.016	17.088	VV	265415	4243536	30.56%	1.705%
28	17.121	17.088	17.441	VB	526231	8205456	59.10%	3.296%
29	18.008	17.927	18.118	PB	536830	7300300	52.58%	2.933%
30	18.428	18.191	18.443	BV	109190	1192659	8.59%	0.479%
31	18.461	18.443	18.649	VV	120133	3582057	25.80%	1.439%
32	18.681	18.649	18.801	PBA	103621	2231221	16.07%	0.896%
33	18.840	18.801	18.974	BV	535710	7418396	53.43%	2.980%
34	19.622	19.581	19.728	BB	546767	7688261	55.38%	3.088%
35	20.362	20.291	20.431	PBA	524831	7745304	55.79%	3.111%
36	21.086	21.051	21.169	BBA	452312	7719829	55.60%	3.101%

37 21.977 21.931 22.099 BBA 304290 6943061 50.01% 2.789%
rteres
Sum of corrected areas: 2489

Aliphatic EPH 091024.M Sat Sep 28 01:06:20 2024

Instrument :

FID_E

ClientSampleId :

PB163736BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/30/2024
Supervised By :Ankita Jodhani 09/30/2024