

rteres

Instrument :

FID_E

ClientSampleId :

PB163736BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/30/2024

Supervised By :Ankita Jodhani 09/30/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09272
Data File : FE050411.D
Signal(s) : FID1B.ch
Acq On : 27 Sep 2024 14:48
Sample : PB163736BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 091024.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.266	3.231	3.340	BBA	692233	6789320	49.48%	2.754%
2	4.511	4.448	4.530	BV	751077	7153170	52.13%	2.902%
3	4.549	4.530	4.731	VB	710117	7373524	53.74%	2.991%
4	6.216	6.158	6.458	BB	706285	7463120	54.39%	3.027%
5	6.674	6.651	6.800	BBA	707850	6975347	50.83%	2.830%
6	7.311	7.276	7.498	PV	618503	6648915	48.46%	2.697%
7	8.503	8.471	8.580	BBA	715851	7405648	53.97%	3.004%
8	8.613	8.581	8.788	BV	629374	6790235	49.49%	2.754%
9	8.911	8.882	9.158	VB	708875	7510919	54.74%	3.047%
10	9.700	9.628	9.858	BV	613202	6860176	50.00%	2.783%
11	10.107	10.067	10.201	PBA	678224	7438458	54.21%	3.017%
12	11.107	11.081	11.158	BV	554370	6151588	44.83%	2.495%
13	11.184	11.158	11.327	VV	537917	6234807	45.44%	2.529%
14	11.548	11.511	11.641	PBA	644047	7394405	53.89%	3.000%
15	11.867	11.778	11.978	BB	557295	6009796	43.80%	2.438%
16	12.856	12.831	12.895	BV	608891	7175487	52.29%	2.911%
17	12.928	12.895	13.091	PV	517825	6380192	46.50%	2.588%
18	13.226	13.191	13.268	PV	552012	6797385	49.54%	2.757%
19	13.299	13.268	13.428	VV	407282	5052137	36.82%	2.049%
20	13.466	13.428	13.615	VB	578585	7136011	52.01%	2.895%
21	14.051	13.938	14.158	BB	562388	7012592	51.11%	2.845%
22	15.107	14.911	15.126	BV	420589	5353698	39.02%	2.172%
23	15.152	15.126	15.498	VB	967417	13721584	100.00%	5.566%
24	16.174	16.141	16.250	BBA	530162	6849008	49.91%	2.778%
25	16.669	16.541	16.684	BV	366727	5138094	37.45%	2.084%
26	16.700	16.684	16.911	VV	419857	6678838	48.67%	2.709%
27	17.050	16.988	17.091	BV	282616	4313064	31.43%	1.750%
28	17.122	17.091	17.448	VB	516153	7825676	57.03%	3.174%
29	18.009	17.928	18.125	PB	504054	7191699	52.41%	2.917%
30	18.429	18.205	18.443	BV	146723	1746341	12.73%	0.708%
31	18.460	18.443	18.651	VV	149485	4148676	30.23%	1.683%
32	18.682	18.651	18.801	PBA	154321	3006610	21.91%	1.220%
33	18.839	18.801	19.088	BB	516754	7073175	51.55%	2.869%
34	19.623	19.581	19.701	BB	547777	7581139	55.25%	3.075%
35	20.362	20.314	20.431	VBA	534977	7657577	55.81%	3.106%
36	21.087	21.051	21.170	BBA	436565	7625656	55.57%	3.093%

37 21.975 21.931 22.100 BBA 309224 6852905 49.94% 2.780%
rteres
Sum of corrected areas: 2465

Aliphatic EPH 091024.M Sat Sep 28 01:07:28 2024

Instrument :

FID_E

ClientSampleId :

PB163736BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/30/2024
Supervised By :Ankita Jodhani 09/30/2024