

rtres

Instrument :

FID_E

ClientSampleId :

PB163785BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/01/2024
Supervised By :Ankita Jodhani 10/01/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09302
Data File : FE050435.D
Signal(s) : FID1B.ch
Acq On : 30 Sep 2024 15:01
Sample : PB163785BS
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 091024.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.265	3.231	3.339	BBA	642507	6354912	47.60%	2.704%
2	4.511	4.438	4.530	BV	719644	6821573	51.10%	2.903%
3	4.550	4.530	4.718	VB	680528	7037637	52.72%	2.995%
4	6.217	6.144	6.481	BB	681870	7208303	53.99%	3.067%
5	6.675	6.651	6.788	BB	688975	6809207	51.01%	2.897%
6	7.312	7.277	7.488	PV	595141	6412390	48.03%	2.729%
7	8.503	8.471	8.579	BBA	696657	7161026	53.64%	3.047%
8	8.613	8.581	8.791	BV	606732	6566272	49.19%	2.794%
9	8.912	8.884	9.154	VB	690200	7251622	54.32%	3.086%
10	9.701	9.614	9.864	BV	583348	6684629	50.07%	2.844%
11	10.107	10.071	10.201	PBA	651941	7203876	53.96%	3.065%
12	11.108	11.081	11.158	BV	521387	5947627	44.55%	2.531%
13	11.184	11.158	11.324	VV	511614	6021106	45.10%	2.562%
14	11.549	11.511	11.641	PBA	630729	7169366	53.70%	3.051%
15	11.867	11.771	11.984	BB	484251	5241601	39.26%	2.230%
16	12.857	12.831	12.898	BV	605441	7018506	52.57%	2.986%
17	12.929	12.898	13.090	PV	498533	6164588	46.18%	2.623%
18	13.228	13.194	13.267	PV	546654	6556361	49.11%	2.790%
19	13.300	13.267	13.428	VV	353441	4434096	33.21%	1.887%
20	13.468	13.428	13.663	VB	560483	6928816	51.90%	2.948%
21	14.053	13.963	14.196	BB	547251	6806769	50.99%	2.896%
22	15.108	15.049	15.128	BV	412534	5165052	38.69%	2.198%
23	15.153	15.128	15.503	VV	942556	13349989	100.00%	5.681%
24	16.175	16.143	16.253	BBA	529180	6608091	49.50%	2.812%
25	16.671	16.638	16.687	M	343069	4993278	37.40%	2.125%
26	16.703	16.688	16.799	M	409927	5971878	44.73%	2.541%
27	17.052	16.981	17.088	VV	261205	4078852	30.55%	1.736%
28	17.122	17.088	17.463	VV	487673	7886162	59.07%	3.356%
29	18.010	17.929	18.127	VV	516438	6967046	52.19%	2.965%
30	18.432	18.399	18.446	M	154794	2138583	16.02%	0.910%
31	18.462	18.448	18.608	M	154924	3786687	28.36%	1.611%
32	18.684	18.646	18.803	PBA	152455	3104392	23.25%	1.321%
33	18.841	18.803	19.023	BB	497073	6953500	52.09%	2.959%
34	19.623	19.583	19.755	BV	489739	7200041	53.93%	3.064%
35	20.362	20.323	20.433	BBA	481672	7036495	52.71%	2.994%
36	21.086	21.056	21.173	BBA	401900	6421585	48.10%	2.732%

37 21.975 21.936 22.099 BBA 266078 5550265 41.58% 2.362%
rteres
Sum of corrected areas: 2350

Aliphatic EPH 091024.M Tue Oct 01 03:18:01 2024

Instrument :

FID_E

ClientSampleId :

PB163785BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/01/2024

Supervised By :Ankita Jodhani 10/01/2024