

rteres

Instrument :

FID_E

ClientSampleId :

PB169923BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/01/2025

Supervised By :mohammad ahmed 10/03/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09302
Data File : FE056107.D
Signal(s) : FID1B.ch
Acq On : 01 Oct 2025 01:53
Sample : PB169923BSD
Misc :
ALS Vial : 40 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 092425.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.419	3.360	3.480	BB	483150	4861281	29.80%	1.667%
2	4.676	4.620	4.696	BV	549746	5262835	32.26%	1.805%
3	4.716	4.696	4.769	VV	582513	5841122	35.81%	2.003%
4	6.393	6.332	6.505	BB	683772	6957928	42.66%	2.386%
5	6.849	6.785	6.919	BB	592638	5885933	36.08%	2.018%
6	7.495	7.442	7.600	BB	686372	6918642	42.42%	2.372%
7	8.687	8.627	8.750	BB	624497	6603318	40.48%	2.264%
8	8.805	8.750	8.897	BB	833463	8445142	51.77%	2.896%
9	9.107	9.075	9.207	VB	858502	8608028	52.77%	2.952%
10	9.899	9.834	10.007	BB	838115	8929722	54.74%	3.062%
11	10.299	10.237	10.387	BB	696675	7562027	46.36%	2.593%
12	11.314	11.225	11.359	BV	787874	8637077	52.95%	2.961%
13	11.391	11.359	11.470	VBA	758816	8486745	52.03%	2.910%
14	11.750	11.707	11.814	BB	725618	8294713	50.85%	2.844%
15	12.076	12.015	12.140	BB	762876	8030054	49.23%	2.753%
16	13.065	12.994	13.105	BV	801395	9045281	55.45%	3.101%
17	13.145	13.105	13.230	VBA	693630	7984851	48.95%	2.738%
18	13.447	13.377	13.478	BV	684239	7917429	48.54%	2.715%
19	13.512	13.478	13.585	VB	532841	6471858	39.68%	2.219%
20	13.679	13.614	13.755	BB	734464	8733515	53.54%	2.995%
21	14.268	14.197	14.334	BB	694340	8610005	52.78%	2.952%
22	15.335	15.265	15.351	BV	533775	7720002	47.33%	2.647%
23	15.376	15.351	15.475	VB	1248633	16311553	100.00%	5.593%
24	16.398	16.335	16.454	BB	614906	7656033	46.94%	2.625%
25	16.901	16.825	16.917	BV	521198	8388418	51.43%	2.876%
26	16.937	16.917	17.050	VB	698895	8765355	53.74%	3.005%
27	17.286	17.250	17.315	BV	594305	8164208	50.05%	2.799%
28	17.349	17.315	17.430	VB	564936	7433080	45.57%	2.549%
29	18.239	18.172	18.297	BB	557827	7391879	45.32%	2.535%
30	18.663	18.394	18.678	BV	439215	6511515	39.92%	2.233%
31	18.698	18.678	18.860	VV	534939	8562948	52.50%	2.936%
32	18.920	18.860	19.000	PBA	380131	6179584	37.88%	2.119%
33	19.072	19.000	19.150	BB	536187	7442455	45.63%	2.552%
34	19.857	19.800	19.890	BV	550616	7901948	48.44%	2.709%
35	20.600	20.550	20.649	BV	566066	8158577	50.02%	2.797%
36	21.376	21.300	21.562	BV	437593	8778565	53.82%	3.010%

37 22.364 22.250 22.464 BV 317097 8194165 50.24% 2.810%
rteres
Sum of corrected areas: 2916

Aliphatic EPH 092425.M Wed Oct 01 06:10:14 2025

Instrument :

FID_E

ClientSampleId :

PB169923BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/01/2025

Supervised By :mohammad ahmed 10/03/2025