

rteres

Instrument :

FID_E

ClientSampleId :

PB163899BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/07/2024

Supervised By :Ankita Jodhani 10/07/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE10042
Data File : FE050511.D
Signal(s) : FID1B.ch
Acq On : 04 Oct 2024 14:19
Sample : PB163899BS
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 091024.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.259	3.211	3.339	BBA	518535	5156505	41.41%	2.416%
2	4.505	4.448	4.525	BV	573763	5543888	44.52%	2.598%
3	4.544	4.525	4.721	VB	595255	6076359	48.80%	2.847%
4	6.211	6.144	6.471	BB	595416	6309929	50.67%	2.957%
5	6.670	6.631	6.799	BBA	601451	5950246	47.78%	2.788%
6	7.307	7.278	7.498	PV	550171	5980098	48.02%	2.802%
7	8.497	8.471	8.579	BBA	622970	6294382	50.55%	2.949%
8	8.608	8.581	8.783	BV	580572	6251417	50.20%	2.929%
9	8.906	8.878	9.181	VV	628829	6869713	55.17%	3.219%
10	9.696	9.548	9.861	BV	551313	6241763	50.13%	2.925%
11	10.101	10.064	10.201	PBA	571239	6451464	51.81%	3.023%
12	11.102	11.081	11.154	BV	487722	5549770	44.57%	2.600%
13	11.178	11.154	11.319	VV	460438	5639774	45.29%	2.643%
14	11.543	11.503	11.623	PV	564210	6494752	52.16%	3.043%
15	11.863	11.784	11.969	BV	638262	7072742	56.80%	3.314%
16	12.851	12.821	12.894	BV	563828	6502785	52.22%	3.047%
17	12.923	12.894	13.089	PV	500398	5883199	47.25%	2.757%
18	13.220	13.188	13.264	PV	517154	6132662	49.25%	2.874%
19	13.295	13.264	13.424	VV	463213	5848395	46.97%	2.740%
20	13.461	13.424	13.578	VB	521282	6302758	50.62%	2.953%
21	14.046	13.934	14.151	BB	513683	6217478	49.93%	2.913%
22	15.102	15.008	15.121	BV	375785	4675506	37.55%	2.191%
23	15.146	15.121	15.491	VV	847268	12452304	100.00%	5.835%
24	16.168	16.131	16.249	BBA	462191	6077879	48.81%	2.848%
25	16.663	16.621	16.675	M	318529	4079172	32.76%	1.911%
26	16.692	16.677	16.818	M	329679	5853834	47.01%	2.743%
27	17.046	17.011	17.084	VV	207342	3372735	27.09%	1.580%
28	17.115	17.084	17.454	VB	474184	7375946	59.23%	3.456%
29	18.002	17.931	18.104	PB	457050	6343566	50.94%	2.972%
30	18.428	18.398	18.444	M	76846	1066574	8.57%	0.500%
31	18.460	18.447	18.580	M	81325	2279959	18.31%	1.068%
32	18.683	18.637	18.781	PBA	60874	1439009	11.56%	0.674%
33	18.833	18.781	19.118	BV	459381	6127307	49.21%	2.871%
34	19.615	19.581	19.738	BB	450856	6411675	51.49%	3.004%
35	20.354	20.321	20.399	BBA	420843	6092552	48.93%	2.855%
36	21.078	21.031	21.169	BBA	337176	5844205	46.93%	2.738%

37 21.963 21.901 22.099 BBA 214263 5153956 41.39% 2.415%
rteres
Sum of corrected areas: 2134

Aliphatic EPH 091024.M Sat Oct 05 01:09:43 2024

Instrument :

FID_E

ClientSampleId :

PB163899BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/07/2024
Supervised By :Ankita Jodhani 10/07/2024