

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC100625AL\
 Data File : FC069938.D
 Signal(s) : FID1A.ch
 Acq On : 06 Oct 2025 17:03
 Operator : YP/AJ
 Sample : 50 PPM ALIPHATIC HC STD2
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 50 PPM ALIPHATIC HC STD2

Integration File: autoint1.e
 Quant Time: Oct 07 04:48:22 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 100625.M
 Quant Title : GC Extractables
 QLast Update : Tue Oct 07 04:46:59 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.649	8639976	53.435 ug/ml
Spiked Amount 50.000		Recovery =	106.87%
12) S 1-chlorooctadecane (S...	13.083	6744188	53.951 ug/ml
Spiked Amount 50.000		Recovery =	107.90%
Target Compounds			
1) T n-Nonane (C9)	3.384	6696096	51.784 ug/ml
2) T n-Decane (C10)	4.457	7033350	52.008 ug/ml
3) T A~Naphthalene (C11.7)	6.051	7918701	52.135 ug/ml
4) T n-Dodecane (C12)	6.480	7521297	52.411 ug/ml
5) T A~2-methylnaphthalene...	7.110	7871197	52.646 ug/ml
6) T n-Tetradecane (C14)	8.278	7874446	53.073 ug/ml
7) T n-Hexadecane (C16)	9.882	8368827	53.396 ug/ml
8) T n-Octadecane (C18)	11.327	8439359	53.410 ug/ml
10) T n-Eicosane (C20)	12.637	7941237	53.725 ug/ml
11) T n-Heneicosane (C21)	13.250	7684442	53.795 ug/ml
13) T n-Docosane (C22)	13.836	7552504	54.156 ug/ml
14) T n-Tetracosane (C24)	14.941	7307291	54.822 ug/ml
15) T n-Hexacosane (C26)	15.962	6889242	54.857 ug/ml
16) T n-Octacosane (C28)	16.912	6492320	54.987 ug/ml
17) T n-Tricontane (C30)	17.800	6323170	54.888 ug/ml
18) T n-Dotriacontane (C32)	18.634	5890021	54.597 ug/ml
19) T n-Tetratriacontane (C34)	19.418	5271042	53.866 ug/ml
20) T n-Hexatriacontane (C36)	20.157	4546558	53.013 ug/ml
21) T n-Octatriacontane (C38)	20.915	4117294	52.520 ug/ml
22) T n-Tetracontane (C40)	21.868	3935168	52.363 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC100625AL\
Data File : FC069938.D
Signal(s) : FID1A.ch
Acq On : 06 Oct 2025 17:03
Operator : YP/AJ
Sample : 50 PPM ALIPHATIC HC STD2
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
50 PPM ALIPHATIC HC STD2

Integration File: autoint1.e
Quant Time: Oct 07 04:48:22 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 100625.M
Quant Title : GC Extractables
QLast Update : Tue Oct 07 04:46:59 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.384 min
Delta R.T.: 0.002 min
Response: 6696096
Conc: 51.78 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#2 n-Decane (C10)

R.T.: 4.457 min
Delta R.T.: 0.002 min
Response: 7033350
Conc: 52.01 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 6.051 min
Delta R.T.: 0.003 min
Response: 7918701
Conc: 52.13 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.480 min
Delta R.T.: 0.003 min
Response: 7521297
Conc: 52.41 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 7.110 min
Delta R.T.: 0.004 min
Response: 7871197
Conc: 52.65 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#6 n-Tetradecane (C14)

R.T.: 8.278 min
Delta R.T.: 0.004 min
Response: 7874446
Conc: 53.07 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.882 min
Delta R.T.: 0.004 min
Response: 8368827
Conc: 53.40 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.327 min
Delta R.T.: 0.005 min
Response: 8439359
Conc: 53.41 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.649 min
Delta R.T.: 0.005 min
Response: 8639976
Conc: 53.43 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#10 n-Eicosane (C20)

R.T.: 12.637 min
Delta R.T.: 0.004 min
Response: 7941237
Conc: 53.72 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.250 min
Delta R.T.: 0.004 min
Response: 7684442
Conc: 53.80 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 13.083 min
Delta R.T.: 0.004 min
Response: 6744188
Conc: 53.95 ug/ml



#13 n-Docosane (C22)


R.T.: 13.836 min
Delta R.T.: 0.005 min
Response: 7552504
Conc: 54.16 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#14 n-Tetracosane (C24)

R.T.: 14.941 min
Delta R.T.: 0.005 min
Response: 7307291
Conc: 54.82 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.962 min
Delta R.T.: 0.004 min
Response: 6889242
Conc: 54.86 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.912 min
Delta R.T.: 0.004 min
Response: 6492320
Conc: 54.99 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.800 min
Delta R.T.: 0.003 min
Response: 6323170
Conc: 54.89 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#18 n-Dotriacontane (C32)

R.T.: 18.634 min
Delta R.T.: 0.004 min
Response: 5890021
Conc: 54.60 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.418 min
Delta R.T.: 0.003 min
Response: 5271042
Conc: 53.87 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 20.157 min
Delta R.T.: 0.004 min
Response: 4546558
Conc: 53.01 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 20.915 min
Delta R.T.: 0.004 min
Response: 4117294
Conc: 52.52 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM ALIPHATIC HC STD2



#22 n-Tetracontane (C40)

R.T.: 21.868 min
Delta R.T.: 0.006 min
Response: 3935168
Conc: 52.36 ug/ml