

rteres

Instrument :

FID_E

ClientSampleId :

PB170039BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/10/2025

Supervised By :mohammad ahmed 10/11/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE10092
Data File : FE056283.D
Signal(s) : FID1B.ch
Acq On : 09 Oct 2025 20:55
Sample : PB170039BSD
Misc :
ALS Vial : 20 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 092425.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.412	3.354	3.465	BB	434513	4270879	33.56%	1.841%
2	4.667	4.620	4.687	BV	490537	4702781	36.96%	2.028%
3	4.707	4.687	4.762	VV	549498	5410843	42.52%	2.333%
4	6.383	6.324	6.500	BB	637972	6333420	49.77%	2.731%
5	6.839	6.780	6.915	BB	535159	5306651	41.70%	2.288%
6	7.483	7.432	7.592	BB	615680	6172193	48.50%	2.661%
7	8.675	8.615	8.750	BB	565177	5841391	45.90%	2.519%
8	8.792	8.754	8.895	BB	726257	7243771	56.92%	3.123%
9	9.093	9.061	9.202	VB	722448	7388764	58.06%	3.186%
10	9.886	9.822	9.989	BB	679331	7294019	57.32%	3.145%
11	10.288	10.227	10.377	BB	595328	6408792	50.36%	2.763%
12	11.299	11.215	11.345	BV	604512	6684688	52.53%	2.882%
13	11.375	11.345	11.470	VBA	590913	6564324	51.58%	2.830%
14	11.737	11.689	11.812	BB	602657	6776773	53.25%	2.922%
15	12.063	12.007	12.130	BB	554748	5892694	46.31%	2.541%
16	13.052	12.992	13.094	BV	597067	7068765	55.55%	3.048%
17	13.128	13.094	13.230	VBA	520192	6152311	48.35%	2.653%
18	13.429	13.360	13.465	BV	538161	6120086	48.09%	2.639%
19	13.498	13.465	13.579	VB	395433	4650147	36.54%	2.005%
20	13.665	13.594	13.749	BB	565251	6753332	53.07%	2.912%
21	14.253	14.194	14.325	BB	562525	6568012	51.61%	2.832%
22	15.315	15.274	15.334	BV	443278	5950243	46.76%	2.565%
23	15.359	15.334	15.485	VB	996756	12725365	100.00%	5.487%
24	16.383	16.322	16.440	BB	442485	5769377	45.34%	2.487%
25	16.882	16.815	16.897	BV	429004	6333643	49.77%	2.731%
26	16.916	16.897	17.064	VB	526768	7081559	55.65%	3.053%
27	17.265	17.226	17.301	M	445046	6174466	48.52%	2.662%
28	17.334	17.303	17.426	M	436181	5851305	45.98%	2.523%
29	18.225	18.150	18.284	BB	436373	5772355	45.36%	2.489%
30	18.641	18.569	18.657	BV	304801	4664710	36.66%	2.011%
31	18.677	18.657	18.854	VV	344526	6499027	51.07%	2.802%
32	18.898	18.854	19.000	PBA	252607	4463734	35.08%	1.925%
33	19.058	19.000	19.112	BB	438467	5967064	46.89%	2.573%
34	19.843	19.800	19.878	BV	445746	6193007	48.67%	2.670%
35	20.584	20.550	20.660	BB	441031	6255313	49.16%	2.697%
36	21.356	21.300	21.440	BB	356446	6408063	50.36%	2.763%

37 22.334 22.250 22.485 BB 247099 6221215 48.89% 2.682%
rteres
Sum of corrected areas: 2319

Aliphatic EPH 092425.M Fri Oct 10 04:31:06 2025

Instrument :

FID_E

ClientSampleId :

PB170039BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/10/2025

Supervised By :mohammad ahmed 10/11/2025