

rteres

Instrument :
FID_E
ClientSampleId :
LOD-MDL-WATER-01-QT4-2024
Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE101124
Data File : FE050609.D
Signal(s) : FID1B.ch
Acq On : 11 Oct 2024 01:31
Sample : P4368-07
Misc : 1 PPM WATER LOD
ALS Vial : 34 Sample Multiplier: 1

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/11/2024
Supervised By :Ankita Jodhani 10/11/2024

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE101124.M
Title :

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.499	4.464	4.542	BB	12141	138605	5.95%	3.633%
2	6.667	6.636	6.712	BB	10589	125319	5.38%	3.285%
3	8.495	8.461	8.561	BB	7731	123797	5.32%	3.245%
4	10.102	10.066	10.162	BB	8826	137316	5.90%	3.600%
5	11.541	11.504	11.593	BB	11136	153118	6.58%	4.014%
6	12.847	12.807	12.893	BB	12349	159418	6.85%	4.179%
7	14.041	14.002	14.091	BB	11675	161176	6.92%	4.225%
8	14.941	14.888	15.028	BB	167245	2328156	100.00%	61.031%
9	15.143	15.102	15.186	BB	12091	160807	6.91%	4.215%
10	16.163	16.122	16.210	BB	11747	159834	6.87%	4.190%
11	17.111	17.072	17.160	BB	11040	167196	7.18%	4.383%
Sum of corrected areas:						3814741		

FE101124.M Fri Oct 11 04:37:34 2024