

rteres

Instrument :

FID_E

ClientSampleId :

PB170068BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/14/2025

Supervised By :mohammad ahmed 10/15/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE10132
Data File : FE056303.D
Signal(s) : FID1B.ch
Acq On : 13 Oct 2025 14:30
Sample : PB170068BS
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 092425.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.414	3.357	3.477	BB	567196	5560014	31.87%	1.787%
2	4.669	4.620	4.689	BV	655863	6208747	35.59%	1.996%
3	4.710	4.689	4.764	VV	723745	7251899	41.57%	2.331%
4	6.386	6.324	6.509	BB	866730	8652135	49.60%	2.781%
5	6.841	6.775	6.924	BB	721401	7171418	41.11%	2.305%
6	7.487	7.434	7.604	BB	837682	8455174	48.47%	2.718%
7	8.679	8.619	8.750	BB	765862	7940944	45.52%	2.552%
8	8.798	8.764	8.899	BB	933844	9922111	56.88%	3.189%
9	9.099	9.069	9.199	VB	963916	10088115	57.83%	3.242%
10	9.892	9.825	10.000	BB	902958	9962293	57.11%	3.202%
11	10.293	10.224	10.379	BB	811639	8723045	50.00%	2.804%
12	11.306	11.224	11.350	BV	798790	9071145	52.00%	2.916%
13	11.382	11.350	11.470	VBA	762583	8785206	50.36%	2.824%
14	11.743	11.702	11.819	BB	790437	9238435	52.96%	2.969%
15	12.069	12.004	12.137	BB	726791	7792682	44.67%	2.505%
16	13.059	12.987	13.098	BV	819821	9657829	55.36%	3.104%
17	13.137	13.098	13.230	VBA	699024	8388520	48.08%	2.696%
18	13.439	13.372	13.472	BV	729965	8375982	48.01%	2.692%
19	13.505	13.472	13.582	VB	528021	6075186	34.82%	1.953%
20	13.672	13.609	13.749	BB	779079	9265264	53.11%	2.978%
21	14.260	14.190	14.335	BB	766421	9038337	51.81%	2.905%
22	15.327	15.254	15.344	BV	614978	8146133	46.70%	2.618%
23	15.369	15.344	15.529	VB	1325199	17445212	100.00%	5.607%
24	16.392	16.322	16.442	BB	623595	7862436	45.07%	2.527%
25	16.896	16.824	16.910	BV	551046	8642083	49.54%	2.778%
26	16.929	16.910	17.070	VBA	702820	9403343	53.90%	3.022%
27	17.278	17.225	17.311	M	584984	8242060	47.25%	2.649%
28	17.341	17.311	17.456	M	579931	8020707	45.98%	2.578%
29	18.233	18.160	18.295	BB	569604	7584730	43.48%	2.438%
30	18.654	18.575	18.669	BV	395646	5813208	33.32%	1.868%
31	18.688	18.669	18.859	VV	439273	8113507	46.51%	2.608%
32	18.911	18.859	19.000	PBA	353229	5802407	33.26%	1.865%
33	19.067	19.000	19.177	BB	537866	7633605	43.76%	2.453%
34	19.851	19.800	19.885	BV	568871	7994041	45.82%	2.569%
35	20.592	20.550	20.640	BB	560178	8195256	46.98%	2.634%
36	21.369	21.300	21.482	BB	471134	8587082	49.22%	2.760%

37 22.353 22.250 22.460 BB 309346 8021361 45.98% 2.578%
rteres
Sum of corrected areas: 3111

Aliphatic EPH 092425.M Tue Oct 14 04:22:52 2025

Instrument :

FID_E

ClientSampleId :

PB170068BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/14/2025

Supervised By :mohammad ahmed 10/15/2025