

rteres

Instrument :

FID_E

ClientSampleId :

PB170068BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/14/2025

Supervised By :mohammad ahmed 10/15/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE10132
Data File : FE056304.D
Signal(s) : FID1B.ch
Acq On : 13 Oct 2025 15:01
Sample : PB170068BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 092425.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.414	3.355	3.477	BB	536811	5271403	33.09%	1.833%
2	4.669	4.620	4.689	BV	617886	5873487	36.87%	2.042%
3	4.709	4.689	4.763	VV	683343	6823698	42.84%	2.372%
4	6.385	6.325	6.507	BB	805681	8032793	50.43%	2.793%
5	6.841	6.775	6.922	BB	679516	6758118	42.42%	2.350%
6	7.486	7.434	7.600	BB	780861	7827093	49.13%	2.721%
7	8.679	8.620	8.757	BB	716458	7447150	46.75%	2.589%
8	8.797	8.765	8.899	BB	909366	9102129	57.14%	3.165%
9	9.098	9.067	9.202	VB	906968	9268834	58.18%	3.223%
10	9.890	9.822	10.002	BB	825574	9075480	56.97%	3.155%
11	10.292	10.234	10.379	BB	759180	8139017	51.09%	2.830%
12	11.305	11.224	11.350	BV	739091	8209138	51.53%	2.854%
13	11.381	11.350	11.470	VBA	697451	7972526	50.05%	2.772%
14	11.742	11.704	11.819	BV	751639	8542384	53.62%	2.970%
15	12.067	12.005	12.134	BB	658715	7113789	44.66%	2.473%
16	13.057	12.997	13.100	BV	768220	8848642	55.55%	3.077%
17	13.135	13.100	13.230	VBA	657597	7623173	47.85%	2.650%
18	13.437	13.370	13.472	BV	661440	7622387	47.85%	2.650%
19	13.503	13.472	13.579	VB	461348	5524076	34.68%	1.921%
20	13.671	13.605	13.749	BB	718079	8454606	53.07%	2.940%
21	14.259	14.199	14.330	BB	667194	8212052	51.55%	2.855%
22	15.325	15.262	15.342	BV	544652	7474426	46.92%	2.599%
23	15.367	15.342	15.515	VB	1199524	15930112	100.00%	5.539%
24	16.391	16.322	16.450	BB	545784	7160804	44.95%	2.490%
25	16.893	16.819	16.908	BV	503294	7893906	49.55%	2.745%
26	16.926	16.908	17.070	VBA	642946	8633681	54.20%	3.002%
27	17.276	17.228	17.308	M	548118	7539242	47.33%	2.621%
28	17.342	17.310	17.450	M	515414	7320500	45.95%	2.545%
29	18.232	18.160	18.292	BB	521943	6984807	43.85%	2.429%
30	18.651	18.575	18.667	BV	381544	5718507	35.90%	1.988%
31	18.687	18.667	18.864	VV	415230	7906096	49.63%	2.749%
32	18.910	18.864	19.000	PBA	342932	5791058	36.35%	2.013%
33	19.066	19.000	19.129	BB	515026	7100746	44.57%	2.469%
34	19.851	19.800	19.885	BV	529381	7371883	46.28%	2.563%
35	20.592	20.550	20.662	BB	529253	7587318	47.63%	2.638%
36	21.367	21.300	21.502	BB	422038	7882868	49.48%	2.741%

37 22.349 22.250 22.499 BBA 297600 7580022 47.58% 2.635%
rteres
Sum of corrected areas: 2876

Aliphatic EPH 092425.M Tue Oct 14 04:24:08 2025

Instrument :

FID_E

ClientSampleId :

PB170068BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/14/2025

Supervised By :mohammad ahmed 10/15/2025