

Instrument :  
FID\_E  
ClientSampleId :  
LOQ-WATER-02-QT4-2024

rteres.txt  
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/15/2024  
Supervised By :Ankita Jodhani 10/15/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_E\Data\FE101424AL\  
Data File : FE050661.D  
Signal(s) : FID1B.ch  
Acq On : 15 Oct 2024 04:57  
Sample : P4368-08  
Misc : 5 PPM WATER LOQ  
ALS Vial : 18 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_E\methods\Aliphatic EPH 100824.M  
Title : GC Extractables

Signal : FID1B.ch

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 3.250       | 3.221        | 3.318      | BB       | 28988          | 313636       | 10.30%         | 2.035%        |
| 2         | 4.499       | 4.458        | 4.588      | BB       | 35882          | 400785       | 13.16%         | 2.600%        |
| 3         | 6.665       | 6.635        | 6.728      | BV       | 41183          | 450237       | 14.78%         | 2.921%        |
| 4         | 8.490       | 8.461        | 8.568      | BV       | 42056          | 488156       | 16.02%         | 3.167%        |
| 5         | 10.096      | 9.991        | 10.155     | BB       | 38376          | 455281       | 14.94%         | 2.954%        |
| 6         | 11.537      | 11.501       | 11.608     | PB       | 41655          | 500288       | 16.42%         | 3.246%        |
| 7         | 12.844      | 12.812       | 12.915     | PB       | 43921          | 548956       | 18.02%         | 3.561%        |
| 8         | 13.291      | 13.255       | 13.398     | BB       | 247696         | 3046442      | 100.00%        | 19.764%       |
| 9         | 13.453      | 13.427       | 13.492     | M        | 41681          | 484114       | 15.89%         | 3.141%        |
| 10        | 14.040      | 14.015       | 14.108     | VB       | 48829          | 623298       | 20.46%         | 4.044%        |
| 11        | 15.141      | 15.114       | 15.211     | VB       | 64668          | 838461       | 27.52%         | 5.440%        |
| 12        | 16.160      | 16.075       | 16.238     | BB       | 73334          | 995636       | 32.68%         | 6.459%        |
| 13        | 17.108      | 17.048       | 17.181     | BB       | 84028          | 1167734      | 38.33%         | 7.576%        |
| 14        | 17.995      | 17.911       | 18.045     | PV       | 90845          | 1273931      | 41.82%         | 8.265%        |
| 15        | 18.826      | 18.791       | 18.900     | BBA      | 77515          | 1128941      | 37.06%         | 7.324%        |
| 16        | 19.609      | 19.561       | 19.642     | BV       | 61030          | 877170       | 28.79%         | 5.691%        |
| 17        | 20.349      | 20.301       | 20.387     | BV       | 48460          | 702936       | 23.07%         | 4.560%        |
| 18        | 21.073      | 21.021       | 21.145     | BV       | 34760          | 605357       | 19.87%         | 3.927%        |
| 19        | 21.956      | 21.861       | 22.068     | BB       | 19816          | 512412       | 16.82%         | 3.324%        |

Instrument :  
FID\_E  
ClientSampleId :  
LOQ-WATER-02-QT4-2024

rteres.txt

Sum of corrected areas: 15413771

Aliphatic EPH 100824.M Tue Oct 15 07:04:20 2024

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/15/2024  
Supervised By :Ankita Jodhani 10/15/2024