

rteres

Instrument :

FID_E

ClientSampleId :

PB170109BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/16/2025

Supervised By :mohammad ahmed 10/17/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE10152
Data File : FE056328.D
Signal(s) : FID1B.ch
Acq On : 15 Oct 2025 14:48
Sample : PB170109BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 092425.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.410	3.350	3.470	BB	445046	4345143	31.78%	1.842%
2	4.666	4.620	4.686	BV	508609	4896866	35.81%	2.075%
3	4.706	4.686	4.762	VV	555710	5601472	40.97%	2.374%
4	6.383	6.320	6.509	BB	648844	6709605	49.07%	2.844%
5	6.838	6.777	6.915	BB	577301	5687903	41.60%	2.411%
6	7.483	7.432	7.597	BB	642325	6580704	48.13%	2.789%
7	8.675	8.602	8.752	BB	607105	6267740	45.84%	2.656%
8	8.793	8.762	8.894	BB	747701	7675355	56.13%	3.253%
9	9.094	9.064	9.194	VB	764471	7794361	57.00%	3.303%
10	9.887	9.820	10.004	BB	721321	7553314	55.24%	3.201%
11	10.289	10.240	10.380	BB	630655	6869581	50.24%	2.911%
12	11.300	11.225	11.347	BV	617854	6914140	50.57%	2.930%
13	11.377	11.347	11.470	VBA	587070	6632376	48.50%	2.811%
14	11.739	11.695	11.805	VV	625963	7241078	52.96%	3.069%
15	12.064	11.997	12.130	BB	585647	6292615	46.02%	2.667%
16	13.054	13.019	13.095	BV	653692	7536881	55.12%	3.194%
17	13.131	13.095	13.230	VBA	581804	6642399	48.58%	2.815%
18	13.432	13.365	13.468	BV	600868	6670819	48.79%	2.827%
19	13.500	13.468	13.575	VB	397867	4746099	34.71%	2.012%
20	13.667	13.630	13.744	PB	606481	7210191	52.73%	3.056%
21	14.255	14.157	14.340	BB	577814	7028522	51.40%	2.979%
22	15.320	15.269	15.337	BV	454949	5937153	43.42%	2.516%
23	15.362	15.337	15.535	VB	1043228	13673605	100.00%	5.795%
24	16.386	16.295	16.447	BB	497112	6264877	45.82%	2.655%
25	16.886	16.787	16.901	BV	398181	5725539	41.87%	2.427%
26	16.918	16.901	17.070	VBA	474245	6750847	49.37%	2.861%
27	17.269	17.233	17.306	M	335764	5048514	36.92%	2.140%
28	17.338	17.308	17.403	M	470450	6499544	47.53%	2.755%
29	18.228	18.152	18.287	BB	461368	6437997	47.08%	2.729%
30	18.644	18.559	18.661	BV	223390	3184886	23.29%	1.350%
31	18.678	18.661	18.854	VV	189318	4097220	29.96%	1.737%
32	18.899	18.854	19.000	PBA	170460	3170624	23.19%	1.344%
33	19.062	19.000	19.132	BB	475622	6716064	49.12%	2.846%
34	19.847	19.800	19.892	BB	487640	6864997	50.21%	2.910%
35	20.589	20.550	20.667	BB	463954	6659355	48.70%	2.822%
36	21.362	21.300	21.504	BB	319243	6383141	46.68%	2.705%

37 22.340 22.250 22.499 BB 216352 5634973 41.21% 2.388%
rteres
Sum of corrected areas: 2359

Aliphatic EPH 092425.M Thu Oct 16 02:28:14 2025

Instrument :

FID_E

ClientSampleId :

PB170109BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/16/2025

Supervised By :mohammad ahmed 10/17/2025