

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE101624AL\
 Data File : FE050691.D
 Signal(s) : FID1B.ch
 Acq On : 16 Oct 2024 12:01
 Operator : YP\AJ
 Sample : 20 PPM ALIPHATIC HC STD
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Oct 17 02:56:42 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 07 16:32:18 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.857	3272446	20.757 ug/ml
Spiked Amount 50.000		Recovery =	41.51%
12) S 1-chlorooctadecane (S...	13.291	2446691	20.683 ug/ml
Spiked Amount 50.000		Recovery =	41.37%
Target Compounds			
1) T n-Nonane (C9)	3.248	2909196	20.590 ug/ml
2) T n-Decane (C10)	4.498	2980704	20.775 ug/ml
3) T A~Naphthalene (C11.7)	6.208	3005215	21.017 ug/ml
4) T n-Dodecane (C12)	6.665	3015789	20.953 ug/ml
5) T A~2-methylnaphthalene...	7.304	2798519	21.124 ug/ml
6) T n-Tetradecane (C14)	8.491	2981539	20.840 ug/ml
7) T n-Hexadecane (C16)	10.096	3061797	20.805 ug/ml
8) T n-Octadecane (C18)	11.538	3094273	20.716 ug/ml
10) T n-Eicosane (C20)	12.846	2957806	20.626 ug/ml
11) T n-Heneicosane (C21)	13.457	2895881	20.621 ug/ml
13) T n-Docosane (C22)	14.042	2861745	20.398 ug/ml
14) T n-Tetracosane (C24)	15.143	2847983	20.159 ug/ml
15) T n-Hexacosane (C26)	16.162	2850997	20.261 ug/ml
16) T n-Octacosane (C28)	17.111	2869487	19.610 ug/ml
17) T n-Tricontane (C30)	17.997	3017399	18.977 ug/ml
18) T n-Dotriacontane (C32)	18.829	3012592	18.583 ug/ml
19) T n-Tetratriacontane (C34)	19.612	2752301	18.737 ug/ml
20) T n-Hexatriacontane (C36)	20.350	2475356	19.520 ug/ml
21) T n-Octatriacontane (C38)	21.073	2432325	19.671 ug/ml
22) T n-Tetracontane (C40)	21.959	2021714	18.156 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE101624AL\
Data File : FE050691.D
Signal(s) : FID1B.ch
Acq On : 16 Oct 2024 12:01
Operator : YP\AJ
Sample : 20 PPM ALIPHATIC HC STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :

Integration File: autoint1.e
Quant Time: Oct 17 02:56:42 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 07 16:32:18 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.248 min
Delta R.T.: -0.006 min
Response: 2909196
Conc: 20.59 ug/ml

Instrument :
FID_E
ClientSampleId :




#2 n-Decane (C10)

R.T.: 4.498 min
Delta R.T.: -0.005 min
Response: 2980704
Conc: 20.78 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 6.208 min
Delta R.T.: -0.008 min
Response: 3005215
Conc: 21.02 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.665 min
Delta R.T.: -0.005 min
Response: 3015789
Conc: 20.95 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 7.304 min
Delta R.T.: -0.009 min
Response: 2798519
Conc: 21.12 ug/ml

Instrument :
FID_E
ClientSampleId :




#6 n-Tetradecane (C14)

R.T.: 8.491 min
Delta R.T.: -0.006 min
Response: 2981539
Conc: 20.84 ug/ml




#7 n-Hexadecane (C16)

R.T.: 10.096 min
Delta R.T.: -0.006 min
Response: 3061797
Conc: 20.80 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.538 min
Delta R.T.: -0.006 min
Response: 3094273
Conc: 20.72 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.857 min
Delta R.T.: -0.006 min
Response: 3272446
Conc: 20.76 ug/ml

Instrument :
FID_E
ClientSampleId :




#10 n-Eicosane (C20)

R.T.: 12.846 min
Delta R.T.: -0.006 min
Response: 2957806
Conc: 20.63 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.457 min
Delta R.T.: -0.006 min
Response: 2895881
Conc: 20.62 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 13.291 min
Delta R.T.: -0.007 min
Response: 2446691
Conc: 20.68 ug/ml



#13 n-Docosane (C22)


R.T.: 14.042 min
Delta R.T.: -0.006 min
Response: 2861745
Conc: 20.40 ug/ml

Instrument :
FID_E
ClientSampleId :




#14 n-Tetracosane (C24)

R.T.: 15.143 min
Delta R.T.: -0.007 min
Response: 2847983
Conc: 20.16 ug/ml




#15 n-Hexacosane (C26)

R.T.: 16.162 min
Delta R.T.: -0.007 min
Response: 2850997
Conc: 20.26 ug/ml



#16 n-Octacosane (C28)


R.T.: 17.111 min
Delta R.T.: -0.006 min
Response: 2869487
Conc: 19.61 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.997 min
Delta R.T.: -0.007 min
Response: 3017399
Conc: 18.98 ug/ml

Instrument :
FID_E
ClientSampleId :




#18 n-Dotriacontane (C32)

R.T.: 18.829 min
Delta R.T.: -0.008 min
Response: 3012592
Conc: 18.58 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.612 min
Delta R.T.: -0.007 min
Response: 2752301
Conc: 18.74 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 20.350 min
Delta R.T.: -0.009 min
Response: 2475356
Conc: 19.52 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 21.073 min
Delta R.T.: -0.011 min
Response: 2432325
Conc: 19.67 ug/ml

Instrument :
FID_E
ClientSampleId :



#22 n-Tetracontane (C40)

R.T.: 21.959 min
Delta R.T.: -0.011 min
Response: 2021714
Conc: 18.16 ug/ml