

rters

Instrument :

FID_E

ClientSampleId :

WASTEMSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/18/2022

Supervised By :Ankita Jodhani 10/19/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE10172
Data File : FE038201.D
Signal(s) : FID1B.ch
Acq On : 17 Oct 2022 15:45
Sample : N5115-01MSD
Misc :
ALS Vial : 20 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 092822.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.992	2.971	3.102	BB	271568	3002903	46.98%	3.250%
2	4.251	4.209	4.279	BV	347568	3664214	57.32%	3.966%
3	6.424	6.381	6.491	BV	406210	4299703	67.26%	4.654%
4	8.245	8.200	8.317	BV	425840	4671958	73.08%	5.057%
5	9.845	9.812	9.901	VB	448912	5037577	78.80%	5.452%
6	11.279	11.232	11.340	BV	474836	5494410	85.95%	5.947%
7	12.582	12.543	12.650	PB	443377	5388274	84.29%	5.832%
8	13.027	12.973	13.114	BB	513119	6392534	100.00%	6.919%
9	13.192	13.142	13.245	BB	435189	5325625	83.31%	5.764%
10	13.774	13.722	13.834	BB	414901	5220021	81.66%	5.650%
11	14.871	14.794	14.934	BB	389778	5100566	79.79%	5.521%
12	15.887	15.817	15.949	BB	369300	4939088	77.26%	5.346%
13	16.833	16.758	16.902	BB	351954	4807225	75.20%	5.203%
14	17.717	17.658	17.772	BB	320457	4742639	74.19%	5.133%
15	18.545	18.379	18.603	BB	330208	4782543	74.81%	5.176%
16	19.325	19.047	19.385	BB	315261	4570672	71.50%	4.947%
17	20.063	20.011	20.113	BB	320706	4636277	72.53%	5.018%
18	20.760	20.710	20.890	BV	305973	5032427	78.72%	5.447%
19	21.530	21.419	21.649	VV	229849	5282108	82.63%	5.717%
Sum of corrected areas:						92390765		

Aliphatic EPH 092822.M Tue Oct 18 04:42:18 2022