

rteres

Instrument :

FID_E

ClientSampleId :

PB148408BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE10182

Data File : FE038211.D

Signal(s) : FID1B.ch

Acq On : 18 Oct 2022 15:35

Sample : PB148408BSD

Misc :

ALS Vial : 13 Sample Multiplier: 1

Reviewed By :Yogesh Patel 10/19/2022

Supervised By :Ankita Jodhani 10/19/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 092822.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.003	2.971	3.115	BB	505660	5338825	46.21%	2.374%
2	4.256	4.216	4.278	BV	525517	5315744	46.01%	2.364%
3	4.296	4.278	4.445	VB	482324	5689729	49.25%	2.530%
4	5.970	5.937	6.204	BB	378499	5491784	47.53%	2.442%
5	6.424	6.380	6.535	BB	537272	5744150	49.72%	2.554%
6	7.064	7.041	7.268	PB	376479	5413313	46.85%	2.407%
7	7.691	7.651	7.896	BB	493277	6397585	55.37%	2.845%
8	8.245	8.201	8.326	BB	545729	5941635	51.43%	2.642%
9	8.359	8.328	8.546	BV	442917	5611318	48.57%	2.495%
10	8.565	8.546	8.630	PV	268461	3740133	32.37%	1.663%
11	8.653	8.630	8.836	VB	534549	6461911	55.93%	2.874%
12	9.444	9.403	9.606	BV	408810	5666308	49.04%	2.520%
13	9.843	9.799	9.926	BB	550008	6167886	53.39%	2.743%
14	10.847	10.802	10.906	BV	464427	5650460	48.91%	2.513%
15	10.926	10.906	11.066	VV	366020	5659625	48.99%	2.517%
16	11.279	11.231	11.355	BB	534166	6401079	55.40%	2.847%
17	11.603	11.555	11.707	BB	531099	6243471	54.04%	2.776%
18	12.581	12.534	12.635	BV	484712	6166166	53.37%	2.742%
19	12.663	12.635	12.838	PB	394619	5508893	47.68%	2.450%
20	12.960	12.925	12.998	BV	410944	5213907	45.13%	2.319%
21	13.024	12.998	13.145	VB	424086	5537446	47.93%	2.462%
22	13.189	13.145	13.256	BB	498806	6069019	52.53%	2.699%
23	13.772	13.691	13.829	BB	468697	5951233	51.51%	2.646%
24	14.845	14.805	14.857	BV	418230	4860764	42.07%	2.162%
25	14.871	14.857	15.099	VB	499742	11553548	100.00%	5.138%
26	15.887	15.820	15.951	BB	422903	5564594	48.16%	2.475%
27	16.411	16.382	16.426	PV	399181	4998317	43.26%	2.223%
28	16.441	16.426	16.637	VB	343626	5922671	51.26%	2.634%
29	16.797	16.757	16.811	BV	265954	3341006	28.92%	1.486%
30	16.831	16.811	16.918	VV	434036	6847708	59.27%	3.045%
31	17.717	17.663	17.781	BB	368129	5341922	46.24%	2.376%
32	18.183	18.156	18.195	PV	378182	4788355	41.44%	2.129%
33	18.207	18.195	18.397	VB	378251	6914187	59.84%	3.075%
34	18.437	18.397	18.509	BV	358083	5927260	51.30%	2.636%
35	18.545	18.509	18.643	VB	369240	5630505	48.73%	2.504%
36	19.325	19.262	19.393	BB	354484	5334499	46.17%	2.372%

FID_E

ClientSampleId :

PB148408BSD

	Area	Area	Area	Area	Area	Area	Area	Area	Area
37	20.061	20.011	20.126	BB	338049	5202143	45.03%	2.313%	
38	20.759	20.711	20.835	BB	318349	5303932	45.03%	2.313%	
39	21.529	21.300	21.663	BV	258927	5959579	51.03%	2.313%	
				Sum of corrected areas:		2248			

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/19/2022
Supervised By :Ankita Jodhani 10/19/2022

Aliphatic EPH 092822.M Wed Oct 19 06:25:36 2022