

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE102119\
 Data File : FE030712.D
 Signal(s) : FID1B.CH
 Acq On : 21 Oct 2019 13:21
 Operator : DD\AJ
 Sample : 4400 TRPH STD
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Oct 21 15:00:19 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE102119.M
 Quant Title :
 QLast Update : Mon Oct 21 14:58:11 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
13) S TETRACOSANE-d50 (SURR...	14.664	16108008	50.000 ug/ml
Target Compounds			
1) N-OCTANE	2.388	124210014	400.000 ug/ml
2) N-NONANE	3.382	125791391	400.000 ug/ml
3) N-DECANE	4.449	191174977	400.000 ug/ml
4) N-UNDECANE	5.482	191995327	600.000 ug/ml
5) N-DODECANE	6.465	191099158	600.000 ug/ml
6) N-TETRADECANE	8.265	191888821	600.000 ug/ml
7) N-HEXADECANE	9.861	159249238	500.000 ug/ml
8) N-OCTADECANE	11.284	79017745	250.000 ug/ml
9) N-EICOSANE	12.574	31398366	100.000 ug/ml
10) N-TETRACOSANE	14.664	16108008	100.000 ug/ml
11) N-OCTACOSANE	16.837	15529196	50.000 ug/ml
12) N-DOTRIACONTANE	18.555	15319374	50.000 ug/ml
14) N-HEXATRIACONTANE	20.076	14503180	50.000 ug/ml
15) N-TETRACONTANE	21.702	10732501	50.000 ug/ml
16) N-TETRATETRAOCTANE	24.436	7484616	50.000 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE102119\
Data File : FE030712.D
Signal(s) : FID1B.CH
Acq On : 21 Oct 2019 13:21
Operator : DD\AJ
Sample : 4400 TRPH STD
Misc :
ALS Vial : 4 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Oct 21 15:00:19 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE102119.M
Quant Title :
QLast Update : Mon Oct 21 14:58:11 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um

