

rteres

Instrument :

FID_E

ClientSampleId :

PB170247BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/27/2025

Supervised By :mohammad ahmed 10/28/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE10242
Data File : FE056490.D
Signal(s) : FID1B.ch
Acq On : 24 Oct 2025 14:28
Sample : PB170247BS
Misc :
ALS Vial : 20 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 101725.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.366	3.322	3.444	BB	501979	4874678	42.72%	2.300%
2	4.614	4.590	4.633	BV	524229	5003075	43.84%	2.361%
3	4.653	4.633	4.710	VV	608487	5927239	51.94%	2.797%
4	6.323	6.292	6.435	BB	607323	6089140	53.36%	2.873%
5	6.782	6.749	6.859	BB	530975	5238559	45.91%	2.472%
6	7.423	7.384	7.537	BB	543802	5593660	49.02%	2.640%
7	8.618	8.584	8.695	BB	545807	5534017	48.50%	2.611%
8	8.731	8.699	8.857	BB	642823	6554808	57.44%	3.093%
9	9.032	9.001	9.130	VB	630517	6528042	57.21%	3.081%
10	9.824	9.790	9.962	BB	601179	6618550	58.00%	3.123%
11	10.231	10.194	10.305	BB	511791	5660949	49.61%	2.671%
12	11.237	11.174	11.285	BV	574635	6409852	56.17%	3.025%
13	11.314	11.285	11.464	VB	529582	6508608	57.04%	3.071%
14	11.680	11.642	11.757	BB	496372	5741929	50.32%	2.710%
15	12.003	11.954	12.075	BB	640305	6901859	60.48%	3.257%
16	12.995	12.957	13.031	BV	498634	5762002	50.49%	2.719%
17	13.067	13.031	13.180	VB	523325	6239292	54.68%	2.944%
18	13.367	13.330	13.408	BV	549349	6154013	53.93%	2.904%
19	13.441	13.408	13.510	VB	460126	5479386	48.02%	2.586%
20	13.608	13.569	13.672	BB	474321	5631052	49.35%	2.657%
21	14.196	14.157	14.270	BB	467339	5542450	48.57%	2.615%
22	15.254	15.192	15.274	BV	442447	5609259	49.15%	2.647%
23	15.299	15.274	15.422	VB	847978	11411517	100.00%	5.385%
24	16.327	16.242	16.372	BB	402031	5234770	45.87%	2.470%
25	16.819	16.749	16.834	BV	404601	5583548	48.93%	2.635%
26	16.852	16.834	16.944	VB	473767	5887904	51.60%	2.778%
27	17.202	17.122	17.245	BV	416674	5511292	48.30%	2.601%
28	17.278	17.245	17.355	VB	375970	5112754	44.80%	2.413%
29	18.169	17.985	18.207	BV	367463	4807292	42.13%	2.269%
30	18.583	18.526	18.595	M	369754	5078119	44.50%	2.396%
31	18.617	18.597	18.754	M	398236	6144724	53.85%	2.900%
32	18.839	18.760	18.959	BBA	372772	5584872	48.94%	2.635%
33	19.002	18.960	19.047	BB	347075	4663526	40.87%	2.201%
34	19.787	19.740	19.825	BV	323877	4541498	39.80%	2.143%
35	20.529	20.500	20.565	BV	305862	4236360	37.12%	1.999%
36	21.289	21.250	21.352	BB	243225	4258459	37.32%	2.010%

37 22.246 22.192 22.321 M 177538 4253540 37.27% 2.007%
Sum of corrected areas: 2119

Aliphatic EPH 101725.M Sat Oct 25 03:18:10 2025

Instrument :

FID_E

ClientSampleId :

PB170247BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/27/2025

Supervised By :mohammad ahmed 10/28/2025