

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE102924AL\
 Data File : FE050883.D
 Signal(s) : FID1B.ch
 Acq On : 29 Oct 2024 15:50
 Operator : YP\AJ
 Sample : PB164498BSD
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Oct 30 04:49:17 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 07 16:32:18 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.862	6218409	39.443 ug/ml
Spiked Amount 50.000		Recovery =	78.89%
12) S 1-chlorooctadecane (S...	13.295	5104551	43.152 ug/ml
Spiked Amount 50.000		Recovery =	86.30%
Target Compounds			
1) T n-Nonane (C9)	3.253	5509785	38.996 ug/ml
2) T n-Decane (C10)	4.501	5675152	39.555 ug/ml
3) T A~Naphthalene (C11.7)	6.210	5735578	40.112 ug/ml
4) T n-Dodecane (C12)	6.667	5825001	40.470 ug/ml
5) T A~2-methylnaphthalene...	7.307	5201841	39.265 ug/ml
6) T n-Tetradecane (C14)	8.494	5817745	40.664 ug/ml
7) T n-Hexadecane (C16)	10.099	5692949	38.683 ug/ml
8) T n-Octadecane (C18)	11.541	5781887	38.709 ug/ml
10) T n-Eicosane (C20)	12.849	5777783	40.291 ug/ml
11) T n-Heneicosane (C21)	13.460	5567220	39.643 ug/ml
13) T n-Docosane (C22)	14.045	5548686	39.550 ug/ml
14) T n-Tetracosane (C24)	15.147	3166466	22.413 ug/ml
15) T n-Hexacosane (C26)	16.167	5499039	39.079 ug/ml
16) T n-Octacosane (C28)	17.115	751695	5.137 ug/ml
17) T n-Tricontane (C30)	18.003	5748924	36.156 ug/ml
18) T n-Dotriacontane (C32)	18.834	5765895	35.567 ug/ml
19) T n-Tetratriacontane (C34)	19.616	5869317	39.957 ug/ml
20) T n-Hexatriacontane (C36)	20.355	5533735	43.637 ug/ml
21) T n-Octatriacontane (C38)	21.079	5322207	43.043 ug/ml
22) T n-Tetracontane (C40)	21.965	4731225	42.490 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE102924AL\
Data File : FE050883.D
Signal(s) : FID1B.ch
Acq On : 29 Oct 2024 15:50
Operator : YP\AJ
Sample : PB164498BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :

Integration File: autoint1.e
Quant Time: Oct 30 04:49:17 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 07 16:32:18 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.253 min
Delta R.T.: -0.001 min
Response: 5509785
Conc: 39.00 ug/ml

Instrument :
FID_E
ClientSampleId :




#2 n-Decane (C10)

R.T.: 4.501 min
Delta R.T.: -0.002 min
Response: 5675152
Conc: 39.55 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 6.210 min
Delta R.T.: -0.006 min
Response: 5735578
Conc: 40.11 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.667 min
Delta R.T.: -0.003 min
Response: 5825001
Conc: 40.47 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 7.307 min
Delta R.T.: -0.006 min
Response: 5201841
Conc: 39.27 ug/ml

Instrument :
FID_E
ClientSampleId :




#6 n-Tetradecane (C14)

R.T.: 8.494 min
Delta R.T.: -0.002 min
Response: 5817745
Conc: 40.66 ug/ml




#7 n-Hexadecane (C16)

R.T.: 10.099 min
Delta R.T.: -0.003 min
Response: 5692949
Conc: 38.68 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.541 min
Delta R.T.: -0.003 min
Response: 5781887
Conc: 38.71 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.862 min
Delta R.T.: -0.002 min
Response: 6218409
Conc: 39.44 ug/ml

Instrument :
FID_E
ClientSampleId :




#10 n-Eicosane (C20)

R.T.: 12.849 min
Delta R.T.: -0.003 min
Response: 5777783
Conc: 40.29 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.460 min
Delta R.T.: -0.003 min
Response: 5567220
Conc: 39.64 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 13.295 min
Delta R.T.: -0.003 min
Response: 5104551
Conc: 43.15 ug/ml



#13 n-Docosane (C22)


R.T.: 14.045 min
Delta R.T.: -0.003 min
Response: 5548686
Conc: 39.55 ug/ml

Instrument :
FID_E
ClientSampleId :




#14 n-Tetracosane (C24)

R.T.: 15.147 min
Delta R.T.: -0.003 min
Response: 3166466
Conc: 22.41 ug/ml




#15 n-Hexacosane (C26)

R.T.: 16.167 min
Delta R.T.: -0.002 min
Response: 5499039
Conc: 39.08 ug/ml



#16 n-Octacosane (C28)


R.T.: 17.115 min
Delta R.T.: -0.002 min
Response: 751695
Conc: 5.14 ug/ml



#17 n-Tricontane (C30)


R.T.: 18.003 min
Delta R.T.: -0.002 min
Response: 5748924
Conc: 36.16 ug/ml

Instrument :
FID_E
ClientSampleId :




#18 n-Dotriacontane (C32)

R.T.: 18.834 min
Delta R.T.: -0.003 min
Response: 5765895
Conc: 35.57 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.616 min
Delta R.T.: -0.002 min
Response: 5869317
Conc: 39.96 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 20.355 min
Delta R.T.: -0.003 min
Response: 5533735
Conc: 43.64 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 21.079 min
Delta R.T.: -0.005 min
Response: 5322207
Conc: 43.04 ug/ml

Instrument :
FID_E
ClientSampleId :



#22 n-Tetracontane (C40)

R.T.: 21.965 min
Delta R.T.: -0.004 min
Response: 4731225
Conc: 42.49 ug/ml