

Instrument :

FID_E

ClientSampleId :

PB164589BSD

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE11012

Data File : FE050967.D

Signal(s) : FID1B.ch

Acq On : 01 Nov 2024 16:33

Sample : PB164589BSD

Misc :

ALS Vial : 13 Sample Multiplier: 1

Reviewed By :Yogesh Patel 11/04/2024

Supervised By :Ankita Jodhani 11/04/2024

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.249	3.214	3.321	BB	515566	5176708	47.92%	2.630%
2	4.497	4.461	4.516	BV	576529	5517677	51.08%	2.803%
3	4.536	4.516	4.634	VB	567445	5826473	53.94%	2.960%
4	6.205	6.141	6.321	BB	529017	5666151	52.45%	2.878%
5	6.662	6.631	6.734	BB	562670	5809916	53.79%	2.951%
6	7.301	7.268	7.418	BB	476018	5234577	48.46%	2.659%
7	8.489	8.408	8.579	BBA	561625	5760893	53.33%	2.926%
8	8.602	8.581	8.708	BB	530108	5623072	52.06%	2.856%
9	8.900	8.874	9.004	VB	577315	6126167	56.71%	3.112%
10	9.690	9.614	9.811	BB	483354	5463657	50.58%	2.775%
11	10.093	10.054	10.188	BB	522266	5789464	53.60%	2.941%
12	11.097	11.056	11.148	M	441642	5117821	47.38%	2.600%
13	11.173	11.153	11.315	M	412081	5267170	48.76%	2.676%
14	11.535	11.494	11.639	BBA	523722	5846113	54.12%	2.970%
15	11.856	11.831	11.961	BB	546382	5998726	55.53%	3.047%
16	12.844	12.801	12.888	BV	508560	5851191	54.17%	2.972%
17	12.918	12.888	13.041	VB	421657	5167353	47.84%	2.625%
18	13.216	13.084	13.258	BV	435269	5109884	47.30%	2.596%
19	13.288	13.258	13.381	VB	391757	4838219	44.79%	2.458%
20	13.454	13.411	13.564	BB	471114	5625563	52.08%	2.858%
21	14.039	13.998	14.148	BB	468324	5588475	51.74%	2.839%
22	15.098	15.069	15.117	M	337834	4192049	38.81%	2.130%
23	15.140	15.118	15.314	M	761660	10802052	100.00%	5.487%
24	16.160	16.131	16.249	BBA	426727	5436371	50.33%	2.762%
25	16.660	16.629	16.676	M	285376	3716296	34.40%	1.888%
26	16.690	16.677	16.821	M	287763	4845679	44.86%	2.462%
27	17.044	17.015	17.077	M	190214	2889939	26.75%	1.468%
28	17.110	17.078	17.190	M	433379	6330207	58.60%	3.216%
29	17.996	17.951	18.104	BB	415031	5761792	53.34%	2.927%
30	18.426	18.396	18.444	M	106604	1572226	14.55%	0.799%
31	18.457	18.444	18.631	M	105541	2984843	27.63%	1.516%
32	18.679	18.648	18.781	PBA	102210	2229957	20.64%	1.133%
33	18.827	18.781	18.948	BB	409270	5810459	53.79%	2.952%
34	19.610	19.571	19.728	BB	421855	6065834	56.15%	3.081%
35	20.349	20.311	20.448	BB	408631	6013482	55.67%	3.055%
36	21.073	21.031	21.169	BBA	343227	6018411	55.72%	3.057%

37 21.956 21.901 22.078 BB 235814 5780304 53.51% 2.936%
rteres
Sum of corrected areas: 1968

Aliphatic EPH 100824.M Mon Nov 04 04:35:09 2024

Instrument :

FID_E

ClientSampleId :

PB164589BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/04/2024

Supervised By :Ankita Jodhani 11/04/2024