

rteres

Instrument :

FID_E

ClientSampleId :

PB156871BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/06/2023

Supervised By :mohammad ahmed 11/06/2023

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE11032
Data File : FE045173.D
Signal(s) : FID1B.ch
Acq On : 03 Nov 2023 13:27
Sample : PB156871BS
Misc :
ALS Vial : 16 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 101223.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.288	3.214	3.373	BB	656973	6629971	47.31%	2.410%
2	4.534	4.492	4.550	BV	752696	7323540	52.26%	2.662%
3	4.568	4.550	4.642	VB	755400	7612523	54.33%	2.767%
4	6.231	6.189	6.336	BB	815281	8134327	58.05%	2.957%
5	6.695	6.647	6.757	BB	765638	7803620	55.69%	2.837%
6	7.326	7.273	7.435	BB	771710	7937946	56.65%	2.886%
7	8.523	8.477	8.576	BB	717970	7866021	56.13%	2.859%
8	8.627	8.592	8.713	BB	751727	7685235	54.84%	2.794%
9	8.927	8.896	9.016	VB	757145	7961635	56.82%	2.894%
10	9.717	9.667	9.812	BB	674567	7581314	54.10%	2.756%
11	10.132	10.082	10.212	BB	710209	7885111	56.27%	2.866%
12	11.126	11.055	11.171	BV	626562	7103513	50.69%	2.582%
13	11.202	11.171	11.326	VB	607898	7038918	50.23%	2.559%
14	11.579	11.534	11.653	BB	687539	7870705	56.17%	2.861%
15	11.893	11.847	11.952	BB	626294	6996772	49.93%	2.543%
16	12.891	12.804	12.918	BV	646535	7747454	55.29%	2.816%
17	12.951	12.918	13.062	VB	572924	7022161	50.11%	2.553%
18	13.250	13.202	13.285	BV	595541	6996315	49.93%	2.543%
19	13.334	13.285	13.408	VB	432879	5379687	38.39%	1.956%
20	13.504	13.456	13.571	BB	587606	7340294	52.38%	2.668%
21	14.091	14.012	14.157	BB	560334	7211475	51.46%	2.621%
22	15.135	15.078	15.154	BV	482240	6776230	48.36%	2.463%
23	15.181	15.155	15.266	M	659824	14012784	100.00%	5.094%
24	16.222	16.163	16.273	BB	506078	6845408	48.85%	2.488%
25	16.702	16.632	16.717	BV	414481	7604575	54.27%	2.764%
26	16.736	16.717	16.856	VB	565944	7722560	55.11%	2.807%
27	17.082	17.023	17.133	BV	471075	6936881	49.50%	2.522%
28	17.173	17.133	17.247	VB	488895	6963059	49.69%	2.531%
29	18.064	17.997	18.106	BB	474903	6957762	49.65%	2.529%
30	18.460	18.299	18.476	BV	275965	5211853	37.19%	1.895%
31	18.498	18.476	18.662	VV	350342	7257161	51.79%	2.638%
32	18.719	18.662	18.848	VV	309968	5796931	41.37%	2.107%
33	18.896	18.848	18.978	VB	447613	7135506	50.92%	2.594%
34	19.683	19.609	19.727	VV	448289	7204413	51.41%	2.619%
35	20.424	20.344	20.476	VV	425671	7571526	54.03%	2.752%
36	21.164	21.034	21.225	VV	356532	8125975	57.99%	2.954%

37 22.084 21.994 22.194 PV 269526 7843646 55.97% 2.851%
Sum of corrected areas: 2750

Aliphatic EPH 101223.M Sat Nov 04 03:24:38 2023

Instrument :

FID_E

ClientSampleId :

PB156871BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/06/2023

Supervised By :mohammad ahmed 11/06/2023