

rteres

Instrument :

FID_E

ClientSampleId :

PB156871BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE11032
Data File : FE045174.D
Signal(s) : FID1B.ch
Acq On : 03 Nov 2023 13:57
Sample : PB156871BSD
Misc :
ALS Vial : 17 Sample Multiplier: 1

Reviewed By :Yogesh Patel 11/06/2023

Supervised By :mohammad ahmed 11/06/2023

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 101223.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.288	3.244	3.375	BB	667400	6674592	47.03%	2.405%
2	4.535	4.487	4.551	BV	760883	7374541	51.97%	2.657%
3	4.569	4.551	4.645	VB	753454	7643155	53.86%	2.753%
4	6.231	6.191	6.329	BB	826481	8122704	57.24%	2.926%
5	6.695	6.647	6.761	BB	776326	7843742	55.27%	2.826%
6	7.326	7.273	7.421	BB	775577	7895949	55.64%	2.844%
7	8.523	8.476	8.580	BB	735922	7873767	55.48%	2.836%
8	8.626	8.581	8.711	BB	747098	7631017	53.77%	2.749%
9	8.927	8.894	9.011	VB	764044	7896079	55.64%	2.845%
10	9.716	9.672	9.814	BB	676645	7527931	53.05%	2.712%
11	10.133	10.081	10.209	BB	711904	7849427	55.31%	2.828%
12	11.125	11.055	11.169	BV	629749	7070951	49.83%	2.547%
13	11.201	11.169	11.326	VB	590605	7039478	49.61%	2.536%
14	11.579	11.536	11.651	BB	651463	7799515	54.96%	2.810%
15	11.893	11.842	11.956	BB	611523	6924440	48.79%	2.495%
16	12.891	12.804	12.917	BV	634593	7658768	53.97%	2.759%
17	12.950	12.917	13.056	VB	572868	7000767	49.33%	2.522%
18	13.249	13.197	13.285	BV	582964	6989662	49.25%	2.518%
19	13.335	13.285	13.410	VB	434710	5325755	37.53%	1.919%
20	13.504	13.419	13.567	BB	607423	7259970	51.16%	2.615%
21	14.091	14.009	14.155	BB	539110	7143201	50.34%	2.573%
22	15.135	15.075	15.154	BV	474358	6889681	48.55%	2.482%
23	15.181	15.154	15.326	VB	687420	14191019	100.00%	5.112%
24	16.222	16.156	16.276	BB	488688	6816254	48.03%	2.456%
25	16.702	16.631	16.717	BV	433983	7731968	54.48%	2.785%
26	16.736	16.717	16.854	VB	588100	7785937	54.87%	2.805%
27	17.084	17.021	17.135	BV	496166	7123372	50.20%	2.566%
28	17.171	17.135	17.246	VB	483262	6934824	48.87%	2.498%
29	18.064	17.996	18.109	BB	464496	6939591	48.90%	2.500%
30	18.458	18.290	18.476	BV	300723	6046300	42.61%	2.178%
31	18.498	18.476	18.664	VV	397166	8182873	57.66%	2.948%
32	18.722	18.664	18.851	VV	362476	7006909	49.38%	2.524%
33	18.897	18.851	18.972	VB	442681	7135751	50.28%	2.571%
34	19.682	19.502	19.752	BB	442147	7034841	49.57%	2.534%
35	20.425	20.302	20.465	PV	416759	7150187	50.39%	2.576%
36	21.164	21.055	21.265	VV	386206	7887208	55.58%	2.841%

37 22.079 21.983 22.250 VBA 277272 8185337 57.68% 2.949%
rteres
Sum of corrected areas: 2775

Aliphatic EPH 101223.M Sat Nov 04 03:23:06 2023

Instrument :

FID_E

ClientSampleId :

PB156871BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/06/2023

Supervised By :mohammad ahmed 11/06/2023