

rteres

Instrument :

FID_E

ClientSampleId :

PB164640BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/06/2024

Supervised By :Ankita Jodhani 11/06/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE11042
Data File : FE051001.D
Signal(s) : FID1B.ch
Acq On : 04 Nov 2024 16:56
Sample : PB164640BSD
Misc :
ALS Vial : 11 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 100824.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.251	3.221	3.314	BB	524813	5173129	47.08%	2.623%
2	4.498	4.464	4.517	BV	560140	5333857	48.54%	2.705%
3	4.537	4.517	4.618	VB	539052	5566225	50.66%	2.822%
4	6.206	6.174	6.314	BB	496770	5348692	48.68%	2.712%
5	6.662	6.631	6.734	BB	552553	5492975	49.99%	2.785%
6	7.301	7.268	7.404	BB	448885	4919340	44.77%	2.494%
7	8.490	8.454	8.574	BB	545659	5714636	52.01%	2.898%
8	8.603	8.581	8.701	BB	499696	5422444	49.35%	2.749%
9	8.900	8.874	8.991	VB	570143	5941919	54.08%	3.013%
10	9.691	9.658	9.811	BB	475067	5455416	49.65%	2.766%
11	10.094	10.054	10.174	BB	543531	5866417	53.39%	2.975%
12	11.097	11.081	11.147	BV	412811	4338591	39.49%	2.200%
13	11.174	11.147	11.308	PB	416814	4887362	44.48%	2.478%
14	11.535	11.434	11.608	BB	518428	5988707	54.50%	3.037%
15	11.856	11.831	11.934	BB	564760	5923284	53.91%	3.003%
16	12.843	12.804	12.888	BV	516557	5989155	54.51%	3.037%
17	12.918	12.888	13.024	PB	446577	5275164	48.01%	2.675%
18	13.216	13.181	13.257	BV	439972	5266642	47.93%	2.670%
19	13.288	13.257	13.368	VB	404274	4772946	43.44%	2.420%
20	13.453	13.414	13.534	BB	471958	5748357	52.32%	2.915%
21	14.038	14.001	14.111	BB	471897	5712418	51.99%	2.897%
22	15.098	15.068	15.114	M	339727	4230583	38.50%	2.145%
23	15.140	15.115	15.261	M	792815	10987458	100.00%	5.571%
24	16.159	16.131	16.241	BB	440594	5544567	50.46%	2.811%
25	16.661	16.564	16.676	BV	275655	3796576	34.55%	1.925%
26	16.691	16.676	16.878	VB	307387	5469308	49.78%	2.773%
27	17.044	17.015	17.074	M	197146	2956038	26.90%	1.499%
28	17.107	17.076	17.182	M	444311	6278638	57.14%	3.184%
29	17.995	17.951	18.068	BB	447284	5885224	53.56%	2.984%
30	18.426	18.381	18.439	BV	110443	1506181	13.71%	0.764%
31	18.456	18.439	18.628	VB	115704	3355016	30.53%	1.701%
32	18.678	18.628	18.779	BBA	111581	2293985	20.88%	1.163%
33	18.826	18.781	18.884	BB	421266	5997905	54.59%	3.041%
34	19.610	19.571	19.664	BB	434353	6206241	56.48%	3.147%
35	20.349	20.311	20.428	BB	425890	6273803	57.10%	3.181%
36	21.074	21.031	21.141	BB	361385	6249452	56.88%	3.169%

37 21.957 21.901 22.061 BB 253444 6047601 55.04% 3.066%
rteres
Sum of corrected areas: 1972

Aliphatic EPH 100824.M Tue Nov 05 04:29:35 2024

Instrument :

FID_E

ClientSampleId :

PB164640BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/06/2024

Supervised By :Ankita Jodhani 11/06/2024