

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE110620\
 Data File : FE033111.D
 Signal(s) : FID1B.CH
 Acq On : 06 Nov 2020 19:27
 Operator : DD\AJ
 Sample : 4400 TRPH STD
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Nov 09 16:37:11 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE110620.M
 Quant Title :
 QLast Update : Mon Nov 09 16:36:57 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
13) S TETRACOSANE-d50 (SURR...	14.629	14949983	50.000 ug/ml
Target Compounds			
1) N-OCTANE	2.369	114052336	400.000 ug/ml
2) N-NONANE	3.363	118504936	400.000 ug/ml
3) N-DECANE	4.431	182589832	600.000 ug/ml
4) N-UNDECANE	5.465	183503835	600.000 ug/ml
5) N-DODECANE	6.446	184379728	600.000 ug/ml
6) N-TETRADECANE	8.241	184158068	600.000 ug/ml
7) N-HEXADECANE	9.836	152263043	500.000 ug/ml
8) N-OCTADECANE	11.256	75790880	250.000 ug/ml
9) N-EICOSANE	12.544	29909938	100.000 ug/ml
10) N-TETRACOSANE	14.845	29552232	100.000 ug/ml
11) N-OCTACOSANE	16.802	14210190	50.000 ug/ml
12) N-DOTRIACONTANE	18.521	12860219	50.000 ug/ml
14) N-HEXATRIACONTANE	20.043	10971673	50.000 ug/ml
15) N-TETRACONTANE	21.681	10116462	50.000 ug/ml
16) N-TETRTETRACOOCTANE	24.413	9312980	50.000 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE110620\
Data File : FE033111.D
Signal(s) : FID1B.CH
Acq On : 06 Nov 2020 19:27
Operator : DD\AJ
Sample : 4400 TRPH STD
Misc :
ALS Vial : 9 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Nov 09 16:37:11 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE110620.M
Quant Title :
QLast Update : Mon Nov 09 16:36:57 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um

