

rteres

Instrument :

FID_E

ClientSampleId :

PB148923BS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE11092

Data File : FE038684.D

Signal(s) : FID1B.ch

Acq On : 09 Nov 2022 23:00

Sample : PB148923BS

Misc :

ALS Vial : 26 Sample Multiplier: 1

Reviewed By :Yogesh Patel 11/10/2022

Supervised By :Ankita Jodhani 11/10/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 102522.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.380	3.325	3.421	BB	546474	5616871	50.87%	2.621%
2	4.619	4.575	4.637	BV	602714	5741882	52.01%	2.680%
3	4.657	4.637	4.706	VB	621071	6043178	54.73%	2.820%
4	6.315	6.273	6.351	BV	645801	6163287	55.82%	2.876%
5	6.773	6.729	6.815	BB	589012	5840828	52.90%	2.726%
6	7.407	7.353	7.460	BB	600816	5878020	53.24%	2.743%
7	8.597	8.555	8.638	BB	546800	5671666	51.37%	2.647%
8	8.707	8.661	8.754	BB	593515	5829024	52.80%	2.720%
9	9.006	8.961	9.046	BB	591021	5962857	54.01%	2.783%
10	9.794	9.745	9.858	BB	566285	5884729	53.30%	2.746%
11	10.202	10.152	10.261	BB	523526	5775366	52.31%	2.695%
12	11.200	11.131	11.237	BV	546200	5805441	52.58%	2.709%
13	11.275	11.237	11.318	VB	554920	5766666	52.23%	2.691%
14	11.644	11.594	11.682	BB	513737	5811128	52.63%	2.712%
15	11.964	11.915	12.012	BB	542989	5899301	53.43%	2.753%
16	12.953	12.909	12.983	BV	487123	5560771	50.37%	2.595%
17	13.019	12.983	13.058	VB	490376	5701314	51.64%	2.661%
18	13.318	13.266	13.345	BV	515622	5682885	51.47%	2.652%
19	13.396	13.345	13.449	VB	405997	4705521	42.62%	2.196%
20	13.564	13.517	13.600	BV	458715	5471397	49.56%	2.554%
21	14.149	14.109	14.195	BB	451526	5473897	49.58%	2.555%
22	15.195	15.140	15.215	BV	439921	5723973	51.84%	2.671%
23	15.242	15.215	15.303	VB	718285	11040851	100.00%	5.153%
24	16.272	16.206	16.321	BB	421840	5412635	49.02%	2.526%
25	16.753	16.701	16.768	BV	424557	6096609	55.22%	2.845%
26	16.789	16.768	16.817	VB	502069	5781681	52.37%	2.698%
27	17.134	17.073	17.163	BV	428819	5654025	51.21%	2.639%
28	17.219	17.163	17.277	VB	410085	5473885	49.58%	2.555%
29	18.107	18.054	18.160	M	397220	5375242	48.69%	2.509%
30	18.508	18.406	18.521	BV	431371	6549788	59.32%	3.057%
31	18.545	18.521	18.616	VB	483963	6340447	57.43%	2.959%
32	18.767	18.702	18.846	BB	433369	6386154	57.84%	2.980%
33	18.938	18.879	18.989	BB	371972	5371280	48.65%	2.507%
34	19.721	19.669	19.767	M	355812	5117919	46.35%	2.389%
35	20.461	20.421	20.499	BV	314213	4619977	41.84%	2.156%
36	21.203	21.134	21.251	BV	258564	4490319	40.67%	2.096%

37 22.127 22.049 22.266 BB 184151 4546501 41.18% 2.122%
rteres
Sum of corrected areas: 2142

Aliphatic EPH 102522.M Thu Nov 10 05:57:24 2022

Instrument :

FID_E

ClientSampleId :

PB148923BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/10/2022
Supervised By :Ankita Jodhani 11/10/2022