

rteres

Instrument :

FID_E

ClientSampleId :

PB148923BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE11092
 Data File : FE038685.D
 Signal(s) : FID1B.ch
 Acq On : 09 Nov 2022 23:30
 Sample : PB148923BSD
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Reviewed By :Yogesh Patel 11/10/2022
 Supervised By :Ankita Jodhani 11/10/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 102522.M
 Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.379	3.324	3.421	BB	553337	5539405	50.28%	2.607%
2	4.619	4.573	4.637	BV	603741	5666375	51.43%	2.667%
3	4.656	4.637	4.701	VB	623344	5974580	54.23%	2.812%
4	6.315	6.275	6.351	BV	656104	6117588	55.53%	2.880%
5	6.772	6.730	6.807	BB	593236	5783878	52.50%	2.722%
6	7.407	7.356	7.459	BB	605033	5844084	53.05%	2.751%
7	8.597	8.555	8.639	BB	549381	5630130	51.11%	2.650%
8	8.706	8.663	8.756	BB	583441	5804078	52.68%	2.732%
9	9.006	8.961	9.050	BB	587258	5939650	53.91%	2.796%
10	9.794	9.750	9.849	BB	565897	5861254	53.20%	2.759%
11	10.202	10.158	10.257	BB	534198	5745562	52.15%	2.704%
12	11.199	11.130	11.239	BV	533551	5795883	52.61%	2.728%
13	11.275	11.239	11.323	VB	542089	5758931	52.27%	2.711%
14	11.644	11.597	11.677	BB	502528	5790566	52.56%	2.726%
15	11.963	11.915	12.016	BB	542674	5880202	53.38%	2.768%
16	12.952	12.864	12.983	BV	479477	5559819	50.47%	2.617%
17	13.019	12.983	13.050	VB	512321	5687739	51.63%	2.677%
18	13.318	13.265	13.346	BV	499880	5670117	51.47%	2.669%
19	13.397	13.346	13.435	VB	394888	4695434	42.62%	2.210%
20	13.564	13.516	13.599	BV	447214	5461984	49.58%	2.571%
21	14.149	14.109	14.198	BB	442884	5466646	49.62%	2.573%
22	15.196	15.139	15.215	BV	441378	5709597	51.83%	2.688%
23	15.242	15.215	15.301	VB	730634	11016758	100.00%	5.186%
24	16.272	16.225	16.319	BB	416480	5394074	48.96%	2.539%
25	16.752	16.693	16.768	BV	417003	6091665	55.29%	2.867%
26	16.787	16.768	16.820	VB	494062	5752480	52.22%	2.708%
27	17.135	17.073	17.161	BV	438836	5640561	51.20%	2.655%
28	17.221	17.161	17.271	VB	411435	5461573	49.58%	2.571%
29	18.108	18.081	18.146	BB	385318	5204021	47.24%	2.450%
30	18.508	18.403	18.522	BV	429633	6536558	59.33%	3.077%
31	18.545	18.522	18.608	VB	495010	6350215	57.64%	2.989%
32	18.767	18.698	18.849	BB	453696	6421023	58.28%	3.022%
33	18.939	18.876	18.988	BB	404723	5325789	48.34%	2.507%
34	19.720	19.684	19.758	M	346190	4983504	45.24%	2.346%
35	20.460	20.421	20.497	BV	306290	4436642	40.27%	2.088%
36	21.203	21.137	21.253	BV	241049	4197386	38.10%	1.976%

37 22.127 22.036 22.273 BB 173947 4251759 38.59% 2.001%
Sum of corrected areas: 2124

Aliphatic EPH 102522.M Thu Nov 10 05:58:34 2022

Instrument :

FID_E

ClientSampleId :

PB148923BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/10/2022
Supervised By :Ankita Jodhani 11/10/2022