

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE111021\
 Data File : FE034515.D
 Signal(s) : FID1B.CH
 Acq On : 10 Nov 2021 9:02
 Operator : AJ\MA
 Sample : 4400 PPM TRPH STD
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Nov 11 00:09:58 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE110121.M
 Quant Title :
 QLast Update : Tue Nov 02 03:13:57 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
13) S TETRACOSANE-d50 (SURR...	14.641	15928349	46.908 ug/ml
Target Compounds			
1) N-OCTANE	2.381	105084004	386.731 ug/ml
2) N-NONANE	3.374	106705048	391.927 ug/ml
3) N-DECANE	4.439	160260532	587.373 ug/ml
4) N-UNDECANE	5.470	167428478	587.367 ug/ml
5) N-DODECANE	6.451	165225195	588.081 ug/ml
6) N-TETRADECANE	8.246	162195805	586.092 ug/ml
7) N-HEXADECANE	9.842	136852081	484.661 ug/ml
8) N-OCTADECANE	11.263	68170244	240.751 ug/ml
9) N-EICOSANE	12.553	27317826	96.475 ug/ml
10) N-TETRACOSANE	14.853	26047689	93.375 ug/ml
11) N-OCTACOSANE	16.810	12419046	45.611 ug/ml
12) N-DOTRIACONTANE	18.527	11620406	43.352 ug/ml
14) N-HEXATRIACONTANE	20.047	11009493	44.019 ug/ml
15) N-TETRACONTANE	21.668	10131730	44.252 ug/ml
16) N-TETRTETRACOOCTANE	24.404	7462489	40.684 ug/mlm

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE111021\
Data File : FE034515.D
Signal(s) : FID1B.CH
Acq On : 10 Nov 2021 9:02
Operator : AJ\MA
Sample : 4400 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Nov 11 00:09:58 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE110121.M
Quant Title :
QLast Update : Tue Nov 02 03:13:57 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um

