

rteres

Instrument :

FID_E

ClientSampleId :

PB157372BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE12222

Data File : FE045498.D

Signal(s) : FID1B.ch

Acq On : 22 Nov 2023 15:07

Sample : PB157372BSD

Misc :

ALS Vial : 15 Sample Multiplier: 1

Reviewed By :Yogesh Patel 11/24/2023

Supervised By :Ankita Jodhani 11/27/2023

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 110423.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.267	3.239	3.346	BB	641878	6337693	76.32%	2.287%
2	4.515	4.468	4.531	BV	752482	7264290	87.48%	2.622%
3	4.548	4.531	4.634	VB	731435	7415195	89.30%	2.676%
4	6.211	6.177	6.311	BB	785354	8044242	96.87%	2.903%
5	6.677	6.635	6.750	BB	752494	7792974	93.85%	2.812%
6	7.307	7.257	7.428	BB	750586	7878913	94.88%	2.844%
7	8.506	8.434	8.569	BB	747325	7870352	94.78%	2.840%
8	8.607	8.570	8.697	BB	725670	7583433	91.32%	2.737%
9	8.907	8.874	9.006	VB	753941	7894395	95.07%	2.849%
10	9.696	9.651	9.805	BB	655340	7476769	90.04%	2.698%
11	10.114	10.067	10.196	BB	699633	7824844	94.23%	2.824%
12	11.104	11.039	11.150	BV	600914	7029739	84.66%	2.537%
13	11.180	11.150	11.313	VB	578259	6962090	83.84%	2.513%
14	11.560	11.521	11.624	BB	665559	7768912	93.56%	2.804%
15	11.874	11.826	11.945	BB	617001	6929992	83.45%	2.501%
16	12.873	12.786	12.898	BV	635138	7647287	92.09%	2.760%
17	12.928	12.898	13.040	VB	585794	7025902	84.61%	2.536%
18	13.228	13.173	13.266	BV	570744	7056969	84.98%	2.547%
19	13.315	13.266	13.384	VB	424829	5304588	63.88%	1.914%
20	13.485	13.406	13.551	BB	587307	7251653	87.33%	2.617%
21	14.073	14.037	14.137	VB	557307	7157575	86.20%	2.583%
22	15.113	15.064	15.132	BV	469154	6923332	83.37%	2.499%
23	15.158	15.132	15.169	VV	630100	8162930	98.30%	2.946%
24	15.177	15.169	15.294	VB	532001	6205573	74.73%	2.240%
25	16.203	16.131	16.262	BB	510265	7015109	84.48%	2.532%
26	16.680	16.612	16.694	BV	445925	7683076	92.52%	2.773%
27	16.713	16.694	16.865	VB	576888	7911807	95.28%	2.855%
28	17.060	16.996	17.116	BV	465271	6774741	81.59%	2.445%
29	17.154	17.116	17.261	VB	505396	7385516	88.94%	2.665%
30	18.044	17.982	18.084	BV	537601	7634386	91.94%	2.755%
31	18.436	18.388	18.451	PV	275894	4862833	58.56%	1.755%
32	18.471	18.451	18.650	VV	373767	8303900	100.00%	2.997%
33	18.696	18.650	18.831	VV	321812	6213930	74.83%	2.243%
34	18.879	18.831	18.958	VB	545613	8021136	96.59%	2.895%
35	19.664	19.621	19.703	BV	484803	7777361	93.66%	2.807%
36	20.406	20.361	20.447	BV	471223	7708987	92.84%	2.782%

rteres
 37 21.142 21.080 21.205 BV 394443 7554454 90.97% 2.726%
 38 22.050 21.962 22.219 BV 281905 7427243 89
 Sum of corrected areas: 2770

Aliphatic EPH 110423.M Thu Nov 23 02:21:01 2023

Instrument :
 FID_E
 ClientSampleId :
 PB157372BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/24/2023
 Supervised By :Ankita Jodhani 11/27/2023