

rteres

Instrument :

FID_E

ClientSampleId :

PB170707BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Rahul Chavli 11/25/2025

Supervised By :mohammad ahmed 11/26/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE11242
Data File : FE057000.D
Signal(s) : FID1B.ch
Acq On : 24 Nov 2025 15:42
Sample : PB170707BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 103025.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.316	3.255	3.414	BB	595874	5831733	41.50%	2.220%
2	4.564	4.509	4.583	BV	676317	6310616	44.91%	2.403%
3	4.604	4.583	4.660	VV	740243	7477841	53.22%	2.847%
4	6.275	6.219	6.452	BB	731171	7748779	55.14%	2.950%
5	6.731	6.679	6.812	BB	699578	6861125	48.83%	2.612%
6	7.374	7.335	7.499	PV	630736	6984756	49.71%	2.659%
7	8.566	8.504	8.647	BB	689534	7026927	50.01%	2.675%
8	8.680	8.647	8.817	BB	756166	7982518	56.81%	3.039%
9	8.980	8.950	9.132	VB	766371	8068214	57.42%	3.072%
10	9.773	9.707	9.942	BB	661605	7759622	55.22%	2.954%
11	10.175	10.112	10.252	BB	625310	6922067	49.26%	2.636%
12	11.185	11.114	11.235	BV	637507	7235774	51.49%	2.755%
13	11.263	11.235	11.404	VV	582124	7390268	52.59%	2.814%
14	11.623	11.577	11.700	BB	624303	6832472	48.62%	2.601%
15	11.946	11.887	12.019	BB	628357	6804418	48.42%	2.591%
16	12.936	12.875	12.982	BV	596621	6770217	48.18%	2.578%
17	13.015	12.982	13.150	VB	611808	7250929	51.60%	2.761%
18	13.316	13.255	13.354	BV	598073	7179879	51.09%	2.734%
19	13.382	13.354	13.474	VB	386174	4603411	32.76%	1.753%
20	13.550	13.489	13.614	BB	564021	6632600	47.20%	2.525%
21	14.137	14.067	14.212	BB	535475	6545635	46.58%	2.492%
22	15.205	15.135	15.222	BV	545539	6781879	48.26%	2.582%
23	15.245	15.222	15.420	VB	1037142	14052026	100.00%	5.350%
24	16.269	16.189	16.329	BB	494577	6312791	44.92%	2.404%
25	16.775	16.702	16.790	BV	508935	7056158	50.21%	2.687%
26	16.809	16.790	16.937	VB	578137	7666956	54.56%	2.919%
27	17.159	17.100	17.189	BV	516542	7034013	50.06%	2.678%
28	17.218	17.189	17.314	VB	497558	6550629	46.62%	2.494%
29	18.111	18.037	18.159	BB	454910	6082178	43.28%	2.316%
30	18.545	18.477	18.559	BV	522751	7489566	53.30%	2.852%
31	18.575	18.559	18.735	VB	572096	8358599	59.48%	3.182%
32	18.803	18.740	18.905	BV	550969	8038485	57.21%	3.061%
33	18.943	18.905	19.004	VB	457112	6108492	43.47%	2.326%
34	19.728	19.664	19.765	BB	425900	6018897	42.83%	2.292%
35	20.469	20.320	20.505	BB	427115	5972411	42.50%	2.274%
36	21.218	21.105	21.285	BB	355732	6301528	44.84%	2.399%

37 22.153 22.062 22.299 BB 274309 6599183 46.96% 2.513%
rteres
Sum of corrected areas: 2626

Aliphatic EPH 103025.M Tue Nov 25 08:37:40 2025

Instrument :

FID_E

ClientSampleId :

PB170707BSD

Manual IntegrationsAPPROVED

Reviewed By :Rahul Chavli 11/25/2025

Supervised By :mohammad ahmed 11/26/2025