

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE112519\
 Data File : FE030944.D
 Signal(s) : FID1B.CH
 Acq On : 25 Nov 2019 22:18
 Operator : DD\AJ
 Sample : 4400 TRPH STD
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Nov 26 02:37:50 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE112519.M
 Quant Title :
 QLast Update : Tue Nov 26 02:36:56 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
13) S TETRACOSANE-d50 (SURR...	14.652	15420585	50.000 ug/ml
Target Compounds			
1) N-OCTANE	2.370	107320205	400.000 ug/ml
2) N-NONANE	3.361	108520627	400.000 ug/ml
3) N-DECANE	4.425	164674526	400.000 ug/ml
4) N-UNDECANE	5.457	165095924	600.000 ug/ml
5) N-DODECANE	6.439	164179309	600.000 ug/ml
6) N-TETRADECANE	8.240	164273916	600.000 ug/ml
7) N-HEXADECANE	9.839	135552558	500.000 ug/ml
8) N-OCTADECANE	11.264	66703044	250.000 ug/ml
9) N-EICOSANE	12.557	26374164	100.000 ug/ml
10) N-TETRACOSANE	14.652	15420585	100.000 ug/ml
11) N-OCTACOSANE	16.825	12624254	50.000 ug/ml
12) N-DOTRIACONTANE	18.547	11255007	50.000 ug/ml
14) N-HEXATRIACONTANE	20.072	9445206	50.000 ug/ml
15) N-TETRACONTANE	21.702	8619228	50.000 ug/ml
16) N-TETRTETRACOOCTANE	24.430	7822763	50.000 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE112519\
Data File : FE030944.D
Signal(s) : FID1B.CH
Acq On : 25 Nov 2019 22:18
Operator : DD\AJ
Sample : 4400 TRPH STD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Nov 26 02:37:50 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE112519.M
Quant Title :
QLast Update : Tue Nov 26 02:36:56 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um

