

rteres

Instrument :

FID_E

ClientSampleId :

PB149395BS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE12022

Data File : FE039088.D

Signal(s) : FID1B.ch

Acq On : 02 Dec 2022 15:41

Sample : PB149395BS

Misc :

ALS Vial : 8 Sample Multiplier: 1

Reviewed By :Yogesh Patel 12/05/2022

Supervised By :Ankita Jodhani 12/05/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 111922.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.348	3.307	3.388	BB	645776	6265115	67.87%	2.494%
2	4.595	4.555	4.613	BV	740787	6966699	75.48%	2.773%
3	4.631	4.613	4.687	VB	597298	5832293	63.19%	2.322%
4	6.295	6.253	6.373	BB	598885	5693555	61.68%	2.267%
5	6.756	6.713	6.800	BB	811756	8005158	86.73%	3.187%
6	7.390	7.335	7.463	BB	598607	5805382	62.89%	2.311%
7	8.583	8.536	8.624	BB	781395	8249527	89.37%	3.284%
8	8.690	8.646	8.754	BB	562034	5624210	60.93%	2.239%
9	8.991	8.961	9.048	BB	606444	6155059	66.68%	2.450%
10	9.778	9.729	9.853	BB	557380	5697155	61.72%	2.268%
11	10.189	10.143	10.245	BB	798509	8800790	95.35%	3.503%
12	11.184	11.117	11.226	BV	497511	5306187	57.49%	2.112%
13	11.259	11.226	11.318	VB	502547	5303166	57.45%	2.111%
14	11.632	11.586	11.687	BB	799459	9230443	100.00%	3.674%
15	11.949	11.900	11.998	BB	642844	7206466	78.07%	2.869%
16	12.941	12.899	12.970	BV	771593	9041754	97.96%	3.599%
17	13.003	12.970	13.057	VB	447825	5008510	54.26%	1.994%
18	13.303	13.250	13.335	BV	435069	5128194	55.56%	2.041%
19	13.383	13.335	13.440	VB	453943	5426221	58.79%	2.160%
20	13.552	13.516	13.604	BB	753719	8987087	97.36%	3.578%
21	14.138	14.100	14.189	VB	709214	9031199	97.84%	3.595%
22	15.181	15.139	15.201	BV	376362	4782370	51.81%	1.904%
23	15.229	15.201	15.233	VV	700593	6596505	71.46%	2.626%
24	15.240	15.233	15.289	VB	715076	7107331	77.00%	2.829%
25	16.263	16.187	16.318	BB	681353	8850235	95.88%	3.523%
26	16.740	16.678	16.754	BV	351737	4902919	53.12%	1.952%
27	16.773	16.754	16.845	VB	407773	4745850	51.42%	1.889%
28	17.121	17.056	17.157	BV	352171	4542791	49.22%	1.808%
29	17.211	17.157	17.266	VB	649070	8757281	94.87%	3.486%
30	18.099	18.051	18.147	BB	639487	8528692	92.40%	3.395%
31	18.491	18.435	18.507	BV	306130	4255050	46.10%	1.694%
32	18.529	18.507	18.633	VB	308947	4343543	47.06%	1.729%
33	18.749	18.690	18.860	BB	306411	4288750	46.46%	1.707%
34	18.931	18.869	18.984	BB	623015	8559397	92.73%	3.407%
35	19.715	19.663	19.755	M	578415	8268923	89.58%	3.292%
36	20.453	20.404	20.506	M	505857	7460510	80.83%	2.970%

rteres
 37 21.191 21.136 21.265 M 375330 6649706 72.04% 2.647%
 38 22.113 22.034 22.188 BV 234533 5798976 62
 Sum of corrected areas: 2512

Aliphatic EPH 111922.M Sun Dec 04 10:25:39 2022

Instrument :
FID_E
ClientSampleId :
PB149395BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/05/2022
Supervised By :Ankita Jodhani 12/05/2022