

rteres

Instrument :

FID_E

ClientSampleId :

PB149395BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE12022
 Data File : FE039089.D
 Signal(s) : FID1B.ch
 Acq On : 02 Dec 2022 16:12
 Sample : PB149395BSD
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Reviewed By :Yogesh Patel 12/05/2022
 Supervised By :Ankita Jodhani 12/05/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 111922.M
 Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.347	3.283	3.389	BB	606996	5925103	67.52%	2.464%
2	4.595	4.554	4.613	BV	696862	6586344	75.05%	2.739%
3	4.632	4.613	4.690	VB	565704	5516882	62.87%	2.294%
4	6.295	6.252	6.373	BB	570078	5391652	61.44%	2.242%
5	6.757	6.713	6.809	BB	764335	7589431	86.48%	3.156%
6	7.389	7.338	7.467	BB	559744	5503510	62.71%	2.289%
7	8.584	8.540	8.621	BB	764176	7832391	89.25%	3.257%
8	8.690	8.643	8.753	BB	548730	5335788	60.80%	2.219%
9	8.991	8.959	9.046	BB	597997	5839460	66.54%	2.429%
10	9.778	9.731	9.857	BB	528049	5418875	61.75%	2.254%
11	10.189	10.144	10.246	BB	743111	8370523	95.39%	3.481%
12	11.184	11.120	11.224	BV	462193	5052130	57.57%	2.101%
13	11.259	11.224	11.319	VB	470464	5054284	57.60%	2.102%
14	11.632	11.584	11.688	BB	771086	8775455	100.00%	3.650%
15	11.949	11.902	12.002	BB	623247	6856740	78.14%	2.852%
16	12.940	12.898	12.970	BV	708324	8595812	97.95%	3.575%
17	13.003	12.970	13.062	VB	413153	4775943	54.42%	1.986%
18	13.302	13.252	13.334	BV	436206	4879900	55.61%	2.030%
19	13.383	13.334	13.438	VB	437161	5156487	58.76%	2.145%
20	13.552	13.516	13.601	BB	689345	8533959	97.25%	3.549%
21	14.138	14.097	14.184	VB	704963	8583722	97.82%	3.570%
22	15.181	15.138	15.200	BV	357525	4578177	52.17%	1.904%
23	15.229	15.200	15.232	M	641766	6438748	73.37%	2.678%
24	15.238	15.232	15.271	M	673583	6759630	77.03%	2.811%
25	16.263	16.192	16.302	BB	641762	8438191	96.16%	3.509%
26	16.739	16.685	16.754	BV	314610	4704637	53.61%	1.957%
27	16.772	16.754	16.847	VB	386601	4554926	51.91%	1.894%
28	17.121	17.061	17.168	BV	326012	4410570	50.26%	1.834%
29	17.212	17.168	17.266	VB	632859	8348988	95.14%	3.472%
30	18.099	18.051	18.137	BB	584803	8139817	92.76%	3.385%
31	18.493	18.400	18.508	BV	306960	4430630	50.49%	1.843%
32	18.529	18.508	18.637	VB	325730	4433681	50.52%	1.844%
33	18.749	18.686	18.863	BB	310313	4520364	51.51%	1.880%
34	18.930	18.872	18.981	BB	574904	8158611	92.97%	3.393%
35	19.714	19.663	19.757	M	520565	7876483	89.76%	3.276%
36	20.452	20.406	20.490	M	490537	7070557	80.57%	2.941%

FID_E

ClientSampleId :

PB149395BSD

					rteres		PB149395BSD	
37	21.194	21.124	21.250	BB	367563	6335111	72.19%	2.635%
38	22.113	22.030	22.199	BB	243292	5668720	64.19%	2.635%
					Sum of corrected areas:	2404		Manual Integration

Manual IntegrationsAPPROVED

Aliphatic EPH 111922.M Sun Dec 04 10:27:45 2022

Reviewed By :Yogesh Patel 12/05/2022
Supervised By :Ankita Jodhani 12/05/2022