

rteres.txt

Instrument :

FID_E

ClientSampleId :

MH-737

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/05/2024

Supervised By :Ankita Jodhani 12/05/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE12042
Data File : FE051528.D
Signal(s) : FID1B.ch
Acq On : 04 Dec 2024 14:10
Sample : PB165355BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 120224.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.568	2.544	2.654	BV	94514	1148134	10.57%	0.561%
2	2.678	2.654	2.781	VB	51565	1000817	9.21%	0.489%
3	3.232	3.201	3.324	BB	584056	5854061	53.89%	2.863%
4	4.475	4.438	4.495	BV	621854	6053028	55.72%	2.960%
5	4.515	4.495	4.611	VB	618773	6452181	59.39%	3.155%
6	6.183	6.131	6.328	BB	540053	6193545	57.01%	3.029%
7	6.637	6.591	6.721	BB	608750	6214620	57.21%	3.039%
8	7.278	7.251	7.421	BB	458013	5618504	51.72%	2.747%
9	7.904	7.828	8.031	BB	481257	5523788	50.85%	2.701%
10	8.464	8.378	8.541	BB	607375	6231652	57.36%	3.047%
11	8.578	8.544	8.708	BB	504698	5831771	53.68%	2.852%
12	8.784	8.761	8.851	BV	260782	3342871	30.77%	1.635%
13	8.875	8.851	8.991	VB	563012	6432712	59.22%	3.146%
14	9.666	9.594	9.821	BB	464361	5784919	53.25%	2.829%
15	10.067	10.028	10.174	BB	553602	6098029	56.13%	2.982%
16	11.074	10.808	11.131	BV	428717	5167623	47.57%	2.527%
17	11.151	11.131	11.291	VV	383899	5285855	48.66%	2.585%
18	11.509	11.468	11.631	BB	544879	6123151	56.37%	2.994%
19	11.830	11.784	11.954	BB	533409	5855872	53.91%	2.864%
20	12.817	12.748	12.871	BV	527244	6150779	56.62%	3.008%
21	12.896	12.871	13.044	PB	398117	5351816	49.27%	2.617%
22	13.194	13.156	13.236	BV	438723	5522189	50.83%	2.700%
23	13.263	13.236	13.389	VB	408927	5152085	47.43%	2.519%
24	13.427	13.396	13.549	BB	487766	5897567	54.29%	2.884%
25	14.012	13.969	14.156	BB	474485	5870687	54.04%	2.871%
26	15.115	15.093	15.242	M	721623	10863185	100.00%	5.312%
27	16.134	16.016	16.289	BB	436501	5731175	52.76%	2.803%
28	16.643	16.536	16.909	BB	318063	9342238	86.00%	4.568%
29	17.030	16.996	17.053	BV	194773	2920244	26.88%	1.428%
30	17.081	17.053	17.256	VB	450835	6816856	62.75%	3.333%
31	17.969	17.896	18.076	BB	415534	5714750	52.61%	2.795%
32	18.443	18.263	18.636	BV	148085	6354409	58.49%	3.107%
33	18.666	18.636	18.756	PBA	156116	3235937	29.79%	1.582%
34	18.800	18.763	18.943	BB	379775	5294623	48.74%	2.589%
35	19.582	19.543	19.646	BBA	329413	4820529	44.37%	2.357%
36	20.321	20.283	20.393	BBA	257680	3770857	34.71%	1.844%

rtres.txt
37 21.040 20.983 21.189 BB 182578 3012715 27.73% 1.473%
38 21.914 21.856 22.049 BB 103674 2463880 22.73% 1.473%
Sum of corrected areas: 2044

Aliphatic EPH 120224.M Thu Dec 05 02:12:56 2024

Instrument :
FID_E
ClientSampleId :
MH-737

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/05/2024
Supervised By :Ankita Jodhani 12/05/2024