

rteres

Instrument :

FID_E

ClientSampleId :

PB149512BS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE12092
 Data File : FE039213.D
 Signal(s) : FID1B.ch
 Acq On : 09 Dec 2022 14:29
 Sample : PB149512BS
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Reviewed By :Yogesh Patel 12/12/2022
 Supervised By :Ankita Jodhani 12/12/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 111922.M
 Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.344	3.301	3.390	BB	547487	5317277	72.09%	2.563%
2	4.590	4.544	4.607	BV	577763	5533699	75.02%	2.667%
3	4.626	4.607	4.688	VB	617063	5939699	80.53%	2.863%
4	6.289	6.249	6.371	BB	659249	6349845	86.09%	3.060%
5	6.749	6.705	6.802	BB	590610	5811000	78.78%	2.801%
6	7.383	7.333	7.477	BB	607665	6085604	82.51%	2.933%
7	8.576	8.528	8.622	BB	557509	5811860	78.80%	2.801%
8	8.683	8.638	8.750	BB	629220	6407275	86.87%	3.088%
9	8.984	8.951	9.057	VB	642772	6378393	86.48%	3.074%
10	9.771	9.725	9.857	BB	593775	6282716	85.18%	3.028%
11	10.181	10.134	10.236	BB	554293	6089918	82.57%	2.935%
12	11.177	11.111	11.221	BV	569650	6082860	82.47%	2.932%
13	11.252	11.221	11.319	VV	543737	5948726	80.65%	2.867%
14	11.624	11.586	11.678	BB	557744	6300887	85.43%	3.037%
15	11.943	11.892	11.999	BB	624054	6800307	92.20%	3.277%
16	12.933	12.890	12.962	BV	512612	6109097	82.83%	2.944%
17	12.996	12.962	13.079	VB	512517	5908266	80.10%	2.848%
18	13.296	13.244	13.329	BV	530842	5799700	78.63%	2.795%
19	13.377	13.329	13.430	VB	414330	5095398	69.08%	2.456%
20	13.543	13.505	13.593	M	503280	6032509	81.79%	2.907%
21	14.130	14.091	14.183	BB	474155	6038689	81.87%	2.910%
22	15.174	15.120	15.193	BV	416682	5306694	71.95%	2.558%
23	15.220	15.193	15.228	M	629840	7375900	100.00%	3.555%
24	15.228	15.228	15.271	M	515023	3893290	52.78%	1.876%
25	16.254	16.206	16.311	BB	451601	5804392	78.69%	2.797%
26	16.731	16.672	16.747	BV	347911	5058873	68.59%	2.438%
27	16.765	16.747	16.870	VB	409083	4952724	67.15%	2.387%
28	17.111	17.051	17.166	BV	325826	4279900	58.03%	2.063%
29	17.202	17.166	17.267	VB	427937	5725187	77.62%	2.759%
30	18.091	18.051	18.142	BB	400809	5440213	73.76%	2.622%
31	18.482	18.425	18.498	BV	262377	3559075	48.25%	1.715%
32	18.518	18.498	18.642	VB	246295	3453266	46.82%	1.664%
33	18.739	18.682	18.850	BB	290057	4056842	55.00%	1.955%
34	18.922	18.865	18.980	BB	371919	5325410	72.20%	2.567%
35	19.705	19.664	19.755	M	347331	5056402	68.55%	2.437%
36	20.445	20.404	20.486	M	321458	4482248	60.77%	2.160%

rteres
 37 21.184 21.022 21.259 BB 223179 4049208 54.90% 1.952%
 38 22.099 22.022 22.190 BB 152022 3542991 48
 Sum of corrected areas: 2074

Aliphatic EPH 111922.M Sun Dec 11 03:14:17 2022

Instrument :
 FID_E
 ClientSampleId :
 PB149512BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/12/2022
 Supervised By :Ankita Jodhani 12/12/2022