

rteres

Instrument :

FID_E

ClientSampleId :

PB149502BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE12092
 Data File : FE039234.D
 Signal(s) : FID1B.ch
 Acq On : 10 Dec 2022 02:16
 Sample : PB149502BSD
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Reviewed By :Yogesh Patel 12/12/2022
 Supervised By :Ankita Jodhani 12/12/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 111922.M
 Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.343	3.302	3.392	BB	330893	3212413	32.43%	1.721%
2	4.588	4.549	4.605	BV	339785	3226257	32.57%	1.729%
3	4.624	4.605	4.682	VB	625288	6027258	60.85%	3.229%
4	6.288	6.247	6.382	BB	818991	7807072	78.82%	4.183%
5	6.746	6.702	6.791	BB	314977	3127524	31.57%	1.676%
6	7.382	7.330	7.472	BB	717935	7075218	71.43%	3.791%
7	8.573	8.533	8.612	BB	290613	2900141	29.28%	1.554%
8	8.682	8.633	8.761	BB	815198	8252365	83.31%	4.421%
9	8.982	8.949	9.058	VB	725721	7290405	73.60%	3.906%
10	9.771	9.721	9.857	BB	757782	7887070	79.62%	4.226%
11	10.177	10.132	10.231	BB	255992	2826175	28.53%	1.514%
12	11.176	11.108	11.217	BV	734456	8041901	81.19%	4.309%
13	11.251	11.217	11.358	VB	695636	7849135	79.24%	4.205%
14	11.619	11.580	11.668	BB	247527	2741362	27.68%	1.469%
15	11.940	11.890	12.002	BB	693944	7495231	75.67%	4.016%
16	12.927	12.842	12.958	BV	211818	2529352	25.54%	1.355%
17	12.995	12.958	13.084	VB	708803	7989716	80.66%	4.281%
18	13.295	13.244	13.325	BV	651301	7576312	76.49%	4.059%
19	13.373	13.325	13.433	VB	470103	5675972	57.30%	3.041%
20	13.538	13.502	13.588	M	198196	2409091	24.32%	1.291%
21	14.125	14.046	14.165	BB	190343	2346641	23.69%	1.257%
22	15.174	15.120	15.193	BV	552979	7524391	75.96%	4.031%
23	15.220	15.193	15.332	VB	765380	9905311	100.00%	5.307%
24	16.249	16.199	16.298	BB	163594	2062275	20.82%	1.105%
25	16.733	16.670	16.747	BV	463860	7478466	75.50%	4.007%
26	16.767	16.747	16.872	VB	582115	7234282	73.03%	3.876%
27	17.112	17.053	17.162	BV	487188	6386679	64.48%	3.422%
28	17.196	17.162	17.255	VB	150260	2082647	21.03%	1.116%
29	18.086	18.051	18.129	BB	133878	1801653	18.19%	0.965%
30	18.485	18.386	18.499	BV	395703	6182553	62.42%	3.312%
31	18.521	18.499	18.672	VB	433748	6491933	65.54%	3.478%
32	18.744	18.680	18.872	BB	439225	6584011	66.47%	3.528%
33	18.917	18.875	18.965	BB	122813	1743878	17.61%	0.934%
34	19.701	19.653	19.745	M	121349	1737715	17.54%	0.931%
35	20.440	20.400	20.478	M	120054	1749314	17.66%	0.937%
36	21.178	21.120	21.251	BB	99469	1753776	17.71%	0.940%

37 22.095 22.023 22.163 BB 68761 1642364 16.58% 0.880%
Sum of corrected areas: 1866

Aliphatic EPH 111922.M Sun Dec 11 03:38:19 2022

Instrument :

FID_E

ClientSampleId :

PB149502BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/12/2022
Supervised By :Ankita Jodhani 12/12/2022