

rteres

Instrument :

FID_E

ClientSampleId :

PB170866BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/10/2025

Supervised By :mohammad ahmed 12/10/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE12092
Data File : FE057240.D
Signal(s) : FID1B.ch
Acq On : 09 Dec 2025 10:54
Sample : PB170866BSD
Misc :
ALS Vial : 31 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 112725.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.299	3.249	3.407	BB	486715	4962889	39.44%	2.151%
2	4.549	4.487	4.568	BV	558172	5301898	42.14%	2.298%
3	4.589	4.568	4.650	VV	654595	6667013	52.99%	2.890%
4	6.262	6.204	6.455	BB	590203	6889104	54.75%	2.986%
5	6.717	6.655	6.822	BB	582390	5860191	46.58%	2.540%
6	7.361	7.332	7.550	BB	487150	6268260	49.82%	2.717%
7	8.551	8.487	8.637	BV	574533	5976657	47.50%	2.590%
8	8.667	8.637	8.814	PB	626536	7051917	56.05%	3.056%
9	8.966	8.939	9.147	VB	650869	7313435	58.13%	3.170%
10	9.759	9.700	9.954	BB	522234	6763477	53.75%	2.931%
11	10.161	10.099	10.257	BB	533092	5853583	46.52%	2.537%
12	11.173	11.112	11.225	BV	510894	6170167	49.04%	2.674%
13	11.250	11.225	11.392	VV	412374	6339716	50.39%	2.748%
14	11.608	11.560	11.702	BB	506418	5791207	46.03%	2.510%
15	11.932	11.875	12.032	BB	639312	6975264	55.44%	3.023%
16	12.921	12.860	12.970	BV	484650	5710126	45.38%	2.475%
17	13.002	12.970	13.167	VB	473852	6367740	50.61%	2.760%
18	13.301	13.242	13.341	BV	467960	6082735	48.34%	2.636%
19	13.369	13.341	13.464	VB	377975	4833645	38.42%	2.095%
20	13.535	13.477	13.614	BB	458486	5582297	44.37%	2.419%
21	14.122	14.064	14.200	BB	457290	5485558	43.60%	2.378%
22	15.192	15.130	15.208	BV	449323	5510985	43.80%	2.389%
23	15.231	15.208	15.430	VB	806225	12582147	100.00%	5.453%
24	16.253	16.162	16.302	BV	423202	5330308	42.36%	2.310%
25	16.763	16.694	16.777	VV	472647	6673887	53.04%	2.893%
26	16.794	16.777	16.835	VV	497021	7223754	57.41%	3.131%
27	17.148	17.125	17.177	M	414876	6507781	51.72%	2.821%
28	17.205	17.179	17.238	M	433459	6786998	53.94%	2.942%
29	18.095	18.022	18.147	BB	404002	5298468	42.11%	2.296%
30	18.534	18.454	18.547	BV	407989	5860519	46.58%	2.540%
31	18.563	18.547	18.750	VV	428613	8390323	66.68%	3.636%
32	18.787	18.754	18.890	M	369379	6755334	53.69%	2.928%
33	18.929	18.898	19.008	M	383397	5413015	43.02%	2.346%
34	19.713	19.595	19.772	BB	348736	5076949	40.35%	2.200%
35	20.454	20.392	20.495	BB	337554	4895134	38.91%	2.122%
36	21.201	21.119	21.287	BB	276084	5015835	39.86%	2.174%

37 22.129 22.050 22.249 BB 220768 5158246 41.00% 2.236%
rteres
Sum of corrected areas: 2307

Aliphatic EPH 112725.M Wed Dec 10 00:37:00 2025

Instrument :

FID_E

ClientSampleId :

PB170866BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/10/2025

Supervised By :mohammad ahmed 12/10/2025