

rteres

Instrument :

FID_E

ClientSampleId :

PB165545BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/12/2024
Supervised By :Ankita Jodhani 12/12/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE12112
Data File : FE051621.D
Signal(s) : FID1B.ch
Acq On : 11 Dec 2024 13:46
Sample : PB165545BS
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 120224.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.565	2.541	2.651	BV	114982	1361790	10.52%	0.520%
2	2.674	2.651	2.784	VB	61704	1196774	9.24%	0.457%
3	3.228	3.198	3.314	BB	704192	6952296	53.70%	2.652%
4	4.471	4.431	4.491	BV	768225	7297418	56.36%	2.784%
5	4.511	4.491	4.611	VB	756882	7776748	60.06%	2.967%
6	6.179	6.128	6.334	BB	674793	7559682	58.39%	2.884%
7	6.634	6.571	6.718	BB	738737	7545164	58.28%	2.879%
8	7.274	7.251	7.431	BB	589221	6863961	53.01%	2.619%
9	7.901	7.818	8.064	BB	564756	6350513	49.05%	2.423%
10	8.461	8.371	8.544	BV	731180	7585453	58.59%	2.894%
11	8.576	8.544	8.718	PB	635035	7139403	55.14%	2.724%
12	8.782	8.751	8.848	BV	306155	3832960	29.60%	1.462%
13	8.873	8.848	9.028	VB	727809	7897962	61.00%	3.013%
14	9.664	9.629	9.821	BV	581091	7129287	55.06%	2.720%
15	10.065	10.023	10.203	BB	649987	7441444	57.48%	2.839%
16	11.072	11.029	11.120	BV	526496	6490270	50.13%	2.476%
17	11.149	11.120	11.284	VV	481217	6563571	50.69%	2.504%
18	11.507	11.463	11.649	BB	672267	7459094	57.61%	2.846%
19	11.828	11.783	11.983	BB	602354	6549565	50.59%	2.499%
20	12.815	12.769	12.860	BV	643664	7497789	57.91%	2.861%
21	12.896	12.860	13.069	VB	496124	6626547	51.18%	2.528%
22	13.193	13.156	13.229	BV	556085	6791214	52.45%	2.591%
23	13.261	13.229	13.389	VV	465578	5881242	45.42%	2.244%
24	13.426	13.389	13.569	VB	626401	7240997	55.93%	2.763%
25	14.012	13.969	14.156	BB	572892	7148389	55.21%	2.727%
26	15.116	15.093	15.278	M	886334	12947255	100.00%	4.940%
27	16.134	16.056	16.289	BB	523418	6986810	53.96%	2.666%
28	16.645	16.583	16.909	BB	386589	11749412	90.75%	4.483%
29	17.030	16.996	17.054	BV	288851	4080446	31.52%	1.557%
30	17.082	17.054	17.243	VB	533016	8048325	62.16%	3.071%
31	17.969	17.896	18.069	BB	518604	7023946	54.25%	2.680%
32	18.415	18.256	18.636	BV	224229	8659234	66.88%	3.304%
33	18.665	18.636	18.756	PBA	254750	4613133	35.63%	1.760%
34	18.800	18.756	18.916	BB	505884	6806502	52.57%	2.597%
35	19.583	19.543	19.646	BBA	498645	7016607	54.19%	2.677%
36	20.324	20.283	20.393	BBA	475621	7036658	54.35%	2.685%

rters
37 21.044 20.983 21.149 BB 434539 7338402 56.68% 2.800%
38 21.919 21.856 22.069 BB 328988 7627521 58
Sum of corrected areas: 2622

Aliphatic EPH 120224.M Thu Dec 12 01:09:52 2024

Instrument :
FID_E
ClientSampleId :
PB165545BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/12/2024
Supervised By :Ankita Jodhani 12/12/2024