

rteres

Instrument :

FID_E

ClientSampleId :

PB165545BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/12/2024

Supervised By :Ankita Jodhani 12/12/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE12112
Data File : FE051622.D
Signal(s) : FID1B.ch
Acq On : 11 Dec 2024 14:17
Sample : PB165545BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 120224.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.564	2.541	2.651	BV	111032	1341345	10.55%	0.519%
2	2.673	2.651	2.784	VB	60034	1183155	9.31%	0.457%
3	3.228	3.198	3.318	BB	686763	6819871	53.65%	2.637%
4	4.471	4.401	4.491	BV	743386	7153197	56.27%	2.766%
5	4.511	4.491	4.614	VB	731124	7636258	60.07%	2.953%
6	6.179	6.111	6.334	BB	668072	7429255	58.44%	2.873%
7	6.633	6.554	6.711	BB	729805	7414368	58.33%	2.867%
8	7.274	7.251	7.421	BB	585620	6754093	53.13%	2.612%
9	7.901	7.824	8.051	BB	585174	6552121	51.54%	2.534%
10	8.461	8.378	8.548	BV	698996	7492342	58.94%	2.897%
11	8.576	8.548	8.714	PB	627079	7050028	55.46%	2.726%
12	8.782	8.714	8.848	BV	315421	3913438	30.79%	1.513%
13	8.873	8.848	9.008	VB	721892	7717333	60.71%	2.984%
14	9.664	9.568	9.824	BB	585525	6983389	54.94%	2.700%
15	10.066	10.023	10.183	BB	630552	7353877	57.85%	2.844%
16	11.073	11.029	11.121	BV	517140	6385189	50.23%	2.469%
17	11.150	11.121	11.289	VV	470788	6490007	51.06%	2.509%
18	11.508	11.469	11.636	BB	647247	7366300	57.95%	2.848%
19	11.829	11.783	11.949	BB	562224	6426338	50.55%	2.485%
20	12.816	12.669	12.869	PV	625346	7373541	58.01%	2.851%
21	12.896	12.869	13.069	VB	513458	6481852	50.99%	2.506%
22	13.194	13.156	13.230	BV	542149	6671647	52.48%	2.580%
23	13.261	13.230	13.389	VV	453649	5782723	45.49%	2.236%
24	13.426	13.389	13.569	VB	547274	7126100	56.06%	2.755%
25	14.012	13.969	14.149	BB	555410	7019360	55.22%	2.714%
26	15.116	15.098	15.317	M	869794	12711626	100.00%	4.915%
27	16.134	16.029	16.283	BB	547193	6840846	53.82%	2.645%
28	16.644	16.583	16.903	BB	398333	11609095	91.33%	4.489%
29	17.030	16.989	17.053	BV	276695	4002858	31.49%	1.548%
30	17.081	17.053	17.263	VB	519830	7981017	62.79%	3.086%
31	17.969	17.896	18.043	BB	512674	6865969	54.01%	2.655%
32	18.414	18.309	18.636	BV	222979	8836827	69.52%	3.417%
33	18.665	18.636	18.756	PBA	252786	4545331	35.76%	1.758%
34	18.800	18.756	18.936	BB	476745	6627324	52.14%	2.563%
35	19.583	19.543	19.646	BBA	469587	6905984	54.33%	2.670%
36	20.322	20.283	20.393	BBA	479358	6949305	54.67%	2.687%

rters
37 21.043 20.983 21.163 BB 420110 7261207 57.12% 2.808%
38 21.917 21.856 22.069 BB 324906 7563902 59
Sum of corrected areas: 2586

Aliphatic EPH 120224.M Thu Dec 12 01:10:25 2024

Instrument :
FID_E
ClientSampleId :
PB165545BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/12/2024
Supervised By :Ankita Jodhani 12/12/2024