

rteres

Instrument :

FID_E

ClientSampleId :

AOC6-B2-E10AMS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE12122
 Data File : FE039265.D
 Signal(s) : FID1B.ch
 Acq On : 13 Dec 2022 02:29
 Sample : N5994-03MS
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Reviewed By :Yogesh Patel 12/13/2022
 Supervised By :Ankita Jodhani 12/13/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 111922.M
 Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.006	2.971	3.024	BV	5753	73800	0.63%	0.026%
2	3.062	3.024	3.096	VB	7924	93141	0.80%	0.033%
3	3.147	3.109	3.162	BV	3547	42918	0.37%	0.015%
4	3.360	3.310	3.435	BB	693756	7155561	61.47%	2.548%
5	4.597	4.553	4.614	BV	776192	7465676	64.13%	2.659%
6	4.633	4.614	4.702	VB	859446	8441472	72.51%	3.006%
7	5.721	5.690	5.744	BB	3565	35249	0.30%	0.013%
8	5.969	5.939	5.997	BB	4863	48780	0.42%	0.017%
9	6.290	6.247	6.383	BB	929924	8872712	76.22%	3.160%
10	6.750	6.704	6.807	BB	788341	7782469	66.85%	2.771%
11	7.284	7.259	7.310	VB	11037	105864	0.91%	0.038%
12	7.383	7.331	7.501	BB	830008	8390993	72.08%	2.988%
13	7.690	7.672	7.718	BB	3425	34293	0.29%	0.012%
14	8.575	8.507	8.628	BB	741078	7727843	66.38%	2.752%
15	8.683	8.635	8.761	BB	869513	8768155	75.32%	3.122%
16	8.982	8.905	9.065	BB	833603	8667576	74.46%	3.087%
17	9.771	9.737	9.858	PB	792050	8526572	73.24%	3.036%
18	9.956	9.934	9.969	PV	7466	81602	0.70%	0.029%
19	9.981	9.969	10.007	VB	4775	51204	0.44%	0.018%
20	10.044	10.007	10.098	BB	69681	753497	6.47%	0.268%
21	10.180	10.135	10.247	BB	719361	7938515	68.19%	2.827%
22	10.975	10.937	11.015	BB	7089	82493	0.71%	0.029%
23	11.177	11.107	11.219	BV	763841	8484591	72.88%	3.021%
24	11.253	11.219	11.313	VV	750917	8063103	69.26%	2.871%
25	11.623	11.578	11.667	BV	710646	8042378	69.09%	2.864%
26	11.940	11.902	11.967	PV	532117	5834291	50.12%	2.078%
27	12.036	12.017	12.079	PB	17242	216600	1.86%	0.077%
28	12.380	12.357	12.424	BV	5953	96698	0.83%	0.034%
29	12.537	12.487	12.595	BB	78841	955339	8.21%	0.340%
30	12.931	12.893	12.960	PV	664125	7684073	66.01%	2.736%
31	12.996	12.960	13.062	VB	721147	8470588	72.76%	3.016%
32	13.175	13.100	13.216	BB	6552	92533	0.79%	0.033%
33	13.295	13.238	13.323	BV	681204	8004769	68.76%	2.851%
34	13.373	13.323	13.432	VB	358278	4406542	37.85%	1.569%
35	13.541	13.505	13.579	M	624991	7602257	65.30%	2.707%
36	13.761	13.712	13.815	BB	17656	238120	2.05%	0.085%

rterres							Instrument :	
							FID_E	
							ClientSampleId :	
							AOC6-B2-E10AMS	
37	13.877	13.822	13.917	BB	5647	81552	0.70%	0.029%
38	13.983	13.940	14.009	BV	6555	94723	0.00%	0.000%
39	14.128	14.090	14.172	PV	605180	7511253	64.00%	2.638%
40	14.563	14.473	14.597	BV	9249	146157	0.00%	0.000%
41	14.791	14.754	14.826	BB	4422	54557	0.00%	0.000%
42	14.854	14.832	14.877	BV	3357	40560	0.00%	0.000%
43	15.174	15.134	15.193	PV	553514	7407119	63.63%	2.638%
44	15.221	15.193	15.231	M	911892	11641172	100.00%	4.146%
45	15.231	15.231	15.287	M	617502	3287206	28.24%	1.171%
46	15.614	15.570	15.722	BV	28494	695967	5.98%	0.248%
47	15.820	15.782	15.859	BV	6078	119610	1.03%	0.043%
48	16.254	16.177	16.293	BV	564409	7082423	60.84%	2.522%
49	16.641	16.593	16.679	BV	3328	65740	0.56%	0.023%
50	16.733	16.679	16.748	PV	467836	7314010	62.83%	2.605%
51	16.767	16.748	16.837	VV	568210	6761229	58.08%	2.408%
52	17.045	16.947	17.070	BV	8110	111819	0.96%	0.040%
53	17.114	17.070	17.162	VV	468424	6209426	53.34%	2.211%
54	17.200	17.162	17.229	VV	535537	6982454	59.98%	2.487%
55	17.245	17.229	17.301	VB	18673	280779	2.41%	0.100%
56	17.647	17.554	17.674	PV	5749	155615	1.34%	0.055%
57	18.090	18.051	18.137	BB	483074	6548556	56.25%	2.332%
58	18.487	18.428	18.501	PV	395778	6181976	53.10%	2.201%
59	18.522	18.501	18.582	VV	391661	5300707	45.53%	1.888%
60	18.745	18.682	18.840	BV	430522	6430746	55.24%	2.290%
61	18.921	18.872	18.985	VV	467993	6594333	56.65%	2.348%
62	19.022	18.985	19.031	PBA	1269	10044	0.09%	0.004%
63	19.312	19.220	19.382	PV	8656	326695	2.81%	0.116%
64	19.412	19.382	19.435	VV	1536	24261	0.21%	0.009%
65	19.704	19.651	19.744	BV	435892	6242673	53.63%	2.223%
66	19.810	19.780	19.837	VB	2259	36657	0.31%	0.013%
67	19.952	19.914	19.978	PB	1673	26180	0.22%	0.009%
68	20.073	20.008	20.092	BV	4636	100778	0.87%	0.036%
69	20.102	20.092	20.137	VB	3857	55936	0.48%	0.020%
70	20.269	20.202	20.297	BB	2509	48837	0.42%	0.017%
71	20.442	20.401	20.485	BV	391147	5786433	49.71%	2.061%
72	20.822	20.718	20.873	BV	16979	340021	2.92%	0.121%
73	21.182	21.007	21.257	BB	330648	5808842	49.90%	2.069%
74	22.096	22.017	22.177	BB	240624	5574489	47.89%	1.985%
Sum of corrected areas:						280813803		

Instrument :
FID_E
ClientSampleId :
AOC6-B2-E10AMS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/13/2022
Supervised By :Ankita Jodhani 12/13/2022

Aliphatic EPH 111922.M Tue Dec 13 05:04:27 2022