

rters

Instrument :

FID_E

ClientSampleId :

PB149634BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/15/2022
Supervised By :Ankita Jodhani 12/15/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE12142
Data File : FE039303.D
Signal(s) : FID1B.ch
Acq On : 14 Dec 2022 16:09
Sample : PB149634BSD
Misc :
ALS Vial : 9 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 111922.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.339	3.297	3.396	BB	435753	4285560	44.24%	2.060%
2	4.587	4.547	4.605	BV	479948	4517059	46.63%	2.171%
3	4.623	4.605	4.681	VB	478262	4665224	48.15%	2.242%
4	6.287	6.247	6.378	BB	526322	5150515	53.16%	2.475%
5	6.747	6.702	6.797	BB	488489	4984765	51.45%	2.396%
6	7.381	7.330	7.479	BB	532312	5286531	54.57%	2.541%
7	8.575	8.532	8.625	BB	529569	5608479	57.89%	2.695%
8	8.682	8.641	8.755	BB	538302	5466126	56.42%	2.627%
9	8.983	8.953	9.057	VB	594019	5989452	61.82%	2.879%
10	9.772	9.722	9.857	BB	579064	6047716	62.43%	2.907%
11	10.181	10.137	10.241	BB	549103	6206683	64.07%	2.983%
12	11.178	11.112	11.222	BV	572994	6134442	63.32%	2.948%
13	11.253	11.222	11.312	VV	551237	6038677	62.33%	2.902%
14	11.624	11.579	11.673	BB	584122	6573087	67.85%	3.159%
15	11.942	11.897	11.994	BB	595263	6320240	65.24%	3.037%
16	12.934	12.892	12.963	BV	551129	6462722	66.71%	3.106%
17	12.998	12.963	13.085	VB	521136	5933412	61.25%	2.852%
18	13.297	13.245	13.331	BV	518671	5862360	60.51%	2.817%
19	13.377	13.331	13.438	VB	440534	5085051	52.49%	2.444%
20	13.544	13.516	13.596	BB	532271	6347153	65.52%	3.050%
21	14.131	14.094	14.175	BB	520108	6344703	65.49%	3.049%
22	15.178	15.127	15.197	BV	423838	5543788	57.22%	2.664%
23	15.224	15.197	15.236	M	716502	9687951	100.00%	4.656%
24	15.236	15.236	15.274	M	471256	1948413	20.11%	0.936%
25	16.256	16.193	16.303	BB	470732	6062028	62.57%	2.913%
26	16.737	16.678	16.752	BV	372335	5551720	57.31%	2.668%
27	16.771	16.752	16.857	VB	447768	5377962	55.51%	2.585%
28	17.118	17.057	17.165	BV	381058	4913119	50.71%	2.361%
29	17.205	17.165	17.273	VB	441148	6022537	62.17%	2.894%
30	18.093	18.051	18.145	BB	427994	5760868	59.46%	2.769%
31	18.492	18.401	18.507	BV	339037	5012865	51.74%	2.409%
32	18.528	18.507	18.650	VB	351642	4922533	50.81%	2.366%
33	18.751	18.682	18.865	BB	392711	5474171	56.50%	2.631%
34	18.925	18.871	18.979	BB	403301	5653008	58.35%	2.717%
35	19.709	19.651	19.755	BB	368533	5395309	55.69%	2.593%
36	20.449	20.401	20.492	BV	311315	4465912	46.10%	2.146%

rteres
 37 21.185 21.115 21.307 BB 213638 3719784 38.40% 1.788%
 38 22.102 22.027 22.199 BB 138809 3252760 33
 Sum of corrected areas: 2080

Aliphatic EPH 111922.M Wed Dec 14 17:59:44 2022

Instrument :
FID_E
ClientSampleId :
PB149634BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/15/2022
Supervised By :Ankita Jodhani 12/15/2022