

rteres

Instrument :

FID_E

ClientSampleId :

MH-22MS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE12142

Data File : FE039310.D

Signal(s) : FID1B.ch

Acq On : 14 Dec 2022 19:46

Sample : N6048-01MS

Misc :

ALS Vial : 16 Sample Multiplier: 1

Reviewed By :Yogesh Patel 12/15/2022

Supervised By :Ankita Jodhani 12/15/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 111922.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.337	3.293	3.383	BB	402959	3917746	47.82%	1.831%
2	4.587	4.545	4.606	BV	460918	4468489	54.54%	2.089%
3	4.624	4.606	4.687	VB	466876	4516344	55.13%	2.111%
4	6.289	6.250	6.375	BB	523310	5013541	61.20%	2.343%
5	6.750	6.705	6.798	BB	500753	4967849	60.64%	2.322%
6	7.288	7.262	7.315	BB	6430	63260	0.77%	0.030%
7	7.384	7.331	7.476	BB	502696	5022954	61.31%	2.348%
8	8.577	8.532	8.626	BB	525164	5367254	65.51%	2.509%
9	8.686	8.639	8.751	BB	554354	5545020	67.68%	2.592%
10	8.986	8.957	9.054	VB	541024	5649060	68.95%	2.640%
11	9.775	9.742	9.862	VB	558426	5779859	70.55%	2.702%
12	9.960	9.937	9.976	BV	4969	45532	0.56%	0.021%
13	10.052	10.020	10.086	BB	6377	69912	0.85%	0.033%
14	10.184	10.137	10.239	BB	568004	6104077	74.51%	2.853%
15	10.982	10.947	11.016	BB	4075	47295	0.58%	0.022%
16	11.182	11.112	11.226	BV	531875	5831382	71.18%	2.726%
17	11.257	11.226	11.325	VB	531514	5727227	69.91%	2.677%
18	11.627	11.580	11.681	BB	581673	6562692	80.11%	3.068%
19	11.944	11.898	11.999	BB	452256	4769059	58.21%	2.229%
20	12.537	12.501	12.583	BB	28001	312070	3.81%	0.146%
21	12.936	12.895	12.968	BV	529543	6368149	77.73%	2.977%
22	13.003	12.968	13.077	VB	503091	5712915	69.73%	2.670%
23	13.184	13.147	13.211	BB	4272	46742	0.57%	0.022%
24	13.302	13.253	13.335	BV	483649	5630339	68.73%	2.632%
25	13.379	13.335	13.436	VB	336518	3987333	48.67%	1.864%
26	13.547	13.516	13.589	BV	512718	6274084	76.58%	2.933%
27	14.134	14.097	14.185	VB	519922	6285440	76.72%	2.938%
28	14.573	14.503	14.597	BV	6705	96197	1.17%	0.045%
29	15.182	15.130	15.201	BV	391217	5212384	63.62%	2.436%
30	15.228	15.202	15.236	M	735412	8192453	100.00%	3.829%
31	15.236	15.236	15.281	M	552906	3165078	38.63%	1.479%
32	15.622	15.576	15.719	BB	23915	552441	6.74%	0.258%
33	15.752	15.720	15.784	BB	3482	47521	0.58%	0.022%
34	15.827	15.790	15.868	BB	4700	72779	0.89%	0.034%
35	16.258	16.062	16.307	BB	469979	6080642	74.22%	2.842%
36	16.743	16.686	16.757	BV	367965	5311639	64.84%	2.483%

Parameters									
37	16.775	16.757	16.845	VV	415217	5025760	61.35%	2.349%	
38	16.865	16.845	16.891	VB	3799	50650	0.003%	0.003%	
39	17.123	16.985	17.170	BV	345441	4650645	56.93%	2.678%	
40	17.208	17.170	17.239	VV	431332	5990932	73.07%	2.327%	
41	17.253	17.239	17.296	VB	6448	94869	1.14%	0.087%	
42	17.655	17.550	17.681	BV	3716	71535	0.003%	0.003%	
43	18.097	18.051	18.131	BV	426742	5728854	69.93%	2.678%	
44	18.423	18.204	18.432	BV	1356	5821	0.07%	0.003%	
45	18.498	18.432	18.512	PV	338328	4979014	60.78%	2.327%	
46	18.532	18.512	18.592	VV	336426	4339420	52.97%	2.028%	
47	18.756	18.656	18.826	BV	363865	5075694	61.96%	2.372%	
48	18.929	18.826	18.964	VV	409110	5806757	70.88%	2.714%	
49	19.016	18.964	19.031	PBA	1461	28088	0.34%	0.013%	
50	19.315	19.178	19.356	BV	8722	364783	4.45%	0.171%	
51	19.415	19.356	19.443	VV	4917	185227	2.26%	0.087%	
52	19.485	19.443	19.505	VV	5423	135493	1.65%	0.063%	
53	19.619	19.505	19.637	VV	2609	146089	1.78%	0.068%	
54	19.713	19.651	19.748	BV	396814	5709475	69.69%	2.669%	
55	19.816	19.748	19.824	VV	2266	70709	0.86%	0.033%	
56	19.937	19.824	19.958	VV	2826	106735	1.30%	0.050%	
57	19.992	19.958	20.009	VV	5386	102699	1.25%	0.048%	
58	20.066	20.009	20.097	VV	7476	243478	2.97%	0.114%	
59	20.111	20.097	20.127	VV	2664	34310	0.42%	0.016%	
60	20.147	20.127	20.167	VV	1838	25830	0.32%	0.012%	
61	20.197	20.167	20.207	PV	2094	27190	0.33%	0.013%	
62	20.220	20.207	20.233	VV	1895	18199	0.22%	0.009%	
63	20.262	20.233	20.276	VV	2972	42946	0.52%	0.020%	
64	20.301	20.276	20.313	VV	3005	38207	0.47%	0.018%	
65	20.335	20.313	20.358	VV	4478	60824	0.74%	0.028%	
66	20.390	20.358	20.401	PBA	2105	41807	0.51%	0.020%	
67	20.453	20.401	20.495	BV	385086	5725032	69.88%	2.676%	
68	20.515	20.495	20.529	PV	2714	25569	0.31%	0.012%	
69	20.612	20.561	20.627	BV	9088	163825	2.00%	0.077%	
70	20.641	20.627	20.650	VV	4471	47826	0.58%	0.022%	
71	20.672	20.650	20.682	VV	5225	67819	0.83%	0.032%	
72	20.687	20.682	20.711	VBA	2980	30686	0.37%	0.014%	
73	20.806	20.791	20.817	PV	2421	19714	0.24%	0.009%	
74	21.135	21.109	21.142	BV	5332	60204	0.73%	0.028%	
75	21.194	21.142	21.288	VV	361425	6560942	80.09%	3.067%	
76	21.331	21.288	21.341	PV	5130	70973	0.87%	0.033%	
77	21.357	21.341	21.366	VV	7586	88657	1.08%	0.041%	
78	21.376	21.366	21.393	VV	8690	128495	1.57%	0.060%	
79	21.404	21.393	21.411	VV	8715	86885	1.06%	0.041%	
80	21.456	21.411	21.526	VV	10524	462981	5.65%	0.216%	
81	21.600	21.580	21.606	PV	1333	9773	0.12%	0.005%	
82	21.711	21.664	21.722	BV	4985	111440	1.36%	0.052%	
83	21.922	21.803	22.043	PV	12234	903922	11.03%	0.423%	
84	22.114	22.043	22.166	VV	275195	6755539	82.46%	3.158%	
85	22.214	22.166	22.301	VBA	11126	601697	7.34%	0.281%	

Sum of corrected areas: 213940779

Instrument :

FID_E

ClientSampleId :

MH-22MS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/15/2022

Supervised By :Ankita Jodhani 12/15/2022