

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE121423\
 Data File : FE045835.D
 Signal(s) : FID1B.ch
 Acq On : 14 Dec 2023 06:55
 Operator : YP\AJ
 Sample : 4400 TRPH STD
 Misc :
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 4400 TRPH STD

Integration File: autoint1.e
 Quant Time: Dec 14 11:13:31 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE121423.M
 Quant Title :
 QLast Update : Thu Dec 14 11:12:47 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
13) S TETRACOSANE-d50 (SURR...	14.937	6614183	50.000 ug/ml
Target Compounds			
1) N-OCTANE	1.978	55234973	400.000 ug/ml
2) N-NONANE	3.242	56652354	400.000 ug/ml
3) N-DECANE	4.507	87040031	600.000 ug/ml
4) N-UNDECANE	5.647	87457677	600.000 ug/ml
5) N-DODECANE	6.678	87294654	600.000 ug/ml
6) N-TETRADECANE	8.506	87908806	600.000 ug/ml
7) N-HEXADECANE	10.111	71771811	500.000 ug/ml
8) N-OCTADECANE	11.542	35665793	250.000 ug/ml
9) N-EICOSANE	12.841	13556305	100.000 ug/ml
10) N-TETRACOSANE	15.146	13120593	100.000 ug/ml
11) N-OCTACOSANE	17.114	6273451	50.000 ug/ml
12) N-DOTRIACONTANE	18.835	6141559	50.000 ug/ml
14) N-HEXATRIACONTANE	20.363	6002100	50.000 ug/ml
15) N-TETRACONTANE	21.987	4312634	50.000 ug/ml
16) N-TETRTETRACOOCTANE	24.716	1976382	50.000 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE121423\
Data File : FE045835.D
Signal(s) : FID1B.ch
Acq On : 14 Dec 2023 06:55
Operator : YP\AJ
Sample : 4400 TRPH STD
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
4400 TRPH STD

Integration File: autoint1.e
Quant Time: Dec 14 11:13:31 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE121423.M
Quant Title :
QLast Update : Thu Dec 14 11:12:47 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 uL
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um

