

Instrument :  
FID\_E  
LabSampleId :  
4400 TRPH STD

nteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_E\Data\FE  
Data File : FE045848.D  
Signal(s) : FID1B.ch  
Acq On : 14 Dec 2023 15:59  
Sample : 4400 TRPH STD  
Misc :  
ALS Vial : 12 Sample Multiplier: 1

Reviewed By :Yogesh Patel 12/15/2023  
Supervised By :Ankita Jodhani 12/15/2023

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_E\methods\C44-FE121423.M  
Title :

Signal : FID1B.ch

| peak<br>#               | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-------------------------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1                       | 1.976       | 1.928        | 2.051      | BV       | 4573801        | 54835891     | 62.22%         | 8.704%        |
| 2                       | 3.241       | 3.142        | 3.348      | BV       | 4338105        | 56539826     | 64.15%         | 8.975%        |
| 3                       | 4.507       | 4.429        | 4.641      | BB       | 5759037        | 86930554     | 98.63%         | 13.799%       |
| 4                       | 5.646       | 5.568        | 5.731      | BV       | 5826000        | 87522432     | 99.30%         | 13.893%       |
| 5                       | 6.678       | 6.598        | 6.696      | BV       | 5719709        | 87403256     | 99.17%         | 13.874%       |
| 6                       | 8.506       | 8.401        | 8.621      | BV       | 5518275        | 88138987     | 100.00%        | 13.990%       |
| 7                       | 10.111      | 10.051       | 10.253     | VB       | 4659113        | 72082175     | 81.78%         | 11.442%       |
| 8                       | 11.543      | 11.484       | 11.672     | BB       | 2614403        | 35795397     | 40.61%         | 5.682%        |
| 9                       | 12.843      | 12.780       | 12.901     | BV       | 1046657        | 13717663     | 15.56%         | 2.177%        |
| 10                      | 14.939      | 14.880       | 15.033     | BB       | 451798         | 6666577      | 7.56%          | 1.058%        |
| 11                      | 15.146      | 15.067       | 15.273     | BB       | 942090         | 13216558     | 15.00%         | 2.098%        |
| 12                      | 17.115      | 17.044       | 17.222     | BB       | 434013         | 6340865      | 7.19%          | 1.006%        |
| 13                      | 18.839      | 18.523       | 18.938     | BB       | 405783         | 6592909      | 7.48%          | 1.047%        |
| 14                      | 20.364      | 20.223       | 20.470     | BV       | 389552         | 6979412      | 7.92%          | 1.108%        |
| 15                      | 21.987      | 21.880       | 22.117     | VV       | 177014         | 4803574      | 5.45%          | 0.762%        |
| 16                      | 24.721      | 24.555       | 24.945     | BV       | 42314          | 2426674      | 2.75%          | 0.385%        |
| Sum of corrected areas: |             |              |            |          |                | 629992750    |                |               |

C44-FE121423.M Fri Dec 15 00:30:46 2023