

rteres

Area Percent Report

Instrument :
FID_E
ClientSampleId :
PB125573BS

Manual Integrations
APPROVED

Ankita
12/19/2019 10:34:22 AM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE121819\
Data File : FE031004.D
Signal(s) : FID1B.CH
Acq On : 18 Dec 2019 15:57
Sample : PB125573BS
Misc :
ALS Vial : 10 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE112619.M
Title :

Signal : FID1B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.346	2.302	2.469	BB	681579	5822070	84.54%	5.282%
2	4.378	4.345	4.459	BB	702398	6735041	97.80%	6.110%
3	6.388	6.345	6.489	BB	653150	6842576	99.36%	6.208%
4	8.183	8.145	8.272	BB	618613	6830707	99.19%	6.197%
5	9.786	9.749	9.872	BB	593414	6886633	100.00%	6.248%
6	11.230	11.065	11.312	BB	586248	6837643	99.29%	6.203%
7	12.542	12.499	12.615	BB	535830	6773799	98.36%	6.145%
8	13.743	13.702	13.815	BB	526866	6697741	97.26%	6.076%
9	14.644	14.599	14.715	BB	413718	5849658	84.94%	5.307%
10	14.849	14.762	14.935	BB	508787	6623595	96.18%	6.009%
11	15.872	15.792	15.949	BB	475638	6462502	93.84%	5.863%
12	16.823	16.729	16.885	BB	455630	6383669	92.70%	5.791%
13	17.712	17.622	17.769	BB	443571	6279038	91.18%	5.696%
14	18.545	18.449	18.595	BB	417065	5976547	86.78%	5.422%
15	19.331	19.242	19.372	BB	377127	5567677	80.85%	5.051%
16	20.071	20.020	20.125	M	335220	4993978	72.52%	4.531%
17	20.803	20.715	20.882	BB	254126	4400313	63.90%	3.992%
18	21.702	21.592	21.799	BB	173954	4266709	61.96%	3.871%
Sum of corrected areas:						110229897		

FE112619.M Thu Dec 19 08:06:27 2019