

rteres

Instrument :

FID_E

ClientSampleId :

PB165815BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/27/2024

Supervised By :Ankita Jodhani 12/27/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE12262
Data File : FE051757.D
Signal(s) : FID1B.ch
Acq On : 26 Dec 2024 10:28
Sample : PB165815BS
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 121724.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.812	2.784	2.871	BB	54145	482793	4.74%	0.237%
2	2.921	2.888	2.959	BV	26301	383204	3.77%	0.188%
3	3.493	3.454	3.554	BB	452269	4248004	41.74%	2.086%
4	4.724	4.678	4.744	BV	491499	4549890	44.71%	2.234%
5	4.764	4.744	4.818	VB	527290	4954898	48.69%	2.433%
6	6.411	6.378	6.478	BB	606841	5455997	53.61%	2.679%
7	6.860	6.821	6.921	BB	500471	4788173	47.05%	2.351%
8	7.399	7.374	7.454	BV	11745	113090	1.11%	0.056%
9	7.495	7.454	7.554	PB	539082	5128195	50.39%	2.518%
10	8.113	8.078	8.174	BB	618420	5831630	57.30%	2.864%
11	8.674	8.624	8.721	BB	492395	5011192	49.24%	2.461%
12	8.788	8.741	8.838	BB	589142	5685314	55.87%	2.792%
13	8.986	8.948	9.051	BV	416874	4096725	40.26%	2.012%
14	9.086	9.051	9.148	VB	616411	5916021	58.13%	2.905%
15	9.868	9.828	9.938	BB	570509	5829358	57.28%	2.863%
16	10.079	10.060	10.134	VB	8730	91760	0.90%	0.045%
17	10.269	10.231	10.338	BB	476016	5138921	50.50%	2.524%
18	11.266	11.204	11.308	BV	527192	5713319	56.14%	2.806%
19	11.342	11.308	11.401	VV	553562	5688062	55.89%	2.793%
20	11.704	11.664	11.751	BB	463152	5245631	51.55%	2.576%
21	12.026	11.988	12.078	BB	581076	6170149	60.63%	3.030%
22	13.006	12.968	13.039	BV	480112	5427869	53.34%	2.665%
23	13.076	13.039	13.141	PB	493345	5522059	54.26%	2.712%
24	13.375	13.331	13.403	BV	500078	5485584	53.90%	2.694%
25	13.449	13.403	13.514	VB	431320	5123802	50.35%	2.516%
26	13.614	13.574	13.668	BB	443531	5209111	51.19%	2.558%
27	14.196	14.158	14.268	BB	444145	5169189	50.79%	2.538%
28	15.240	15.198	15.260	BV	402537	5188368	50.98%	2.548%
29	15.287	15.260	15.351	VB	774928	10176685	100.00%	4.997%
30	16.309	16.241	16.374	BB	367410	4893005	48.08%	2.403%
31	16.788	16.714	16.803	BV	365675	5089126	50.01%	2.499%
32	16.822	16.803	16.884	VB	430529	5074197	49.86%	2.492%
33	17.168	17.108	17.198	BV	400499	4941362	48.56%	2.427%
34	17.251	17.198	17.308	VB	358310	4791569	47.08%	2.353%
35	18.134	18.068	18.184	BB	347191	4703373	46.22%	2.310%
36	18.531	18.441	18.547	BV	380948	5321096	52.29%	2.613%

rteres						
37	18.570	18.547	18.638	VB	382324	4988909
38	18.787	18.698	18.861	BB	368250	5178289
39	18.961	18.881	19.014	BB	338615	4567101
40	19.740	19.661	19.794	BB	310499	4477352
41	20.474	20.401	20.514	BV	281262	4159755
42	21.218	21.131	21.268	BB	224590	3973910
43	22.151	22.041	22.254	BB	155577	3653736
Sum of corrected areas:						203637770

Instrument :
FID_E
ClientSampleId :
PB165815BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/27/2024
Supervised By :Ankita Jodhani 12/27/2024

Aliphatic EPH 121724.M Thu Dec 26 11:05:36 2024