

rteres

Instrument :

FID_E

ClientSampleId :

PB149941BS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE12282

Data File : FE039520.D

Signal(s) : FID1B.ch

Acq On : 28 Dec 2022 14:49

Sample : PB149941BS

Misc :

ALS Vial : 8 Sample Multiplier: 1

Reviewed By :Yogesh Patel 12/29/2022

Supervised By :Ankita Jodhani 12/29/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 121722.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.331	3.289	3.395	BB	420176	4128047	67.13%	2.470%
2	4.576	4.537	4.594	BV	486339	4595579	74.73%	2.750%
3	4.612	4.594	4.680	VB	432626	4151342	67.51%	2.484%
4	6.274	6.235	6.373	BB	428542	4225653	68.72%	2.529%
5	6.736	6.694	6.794	BB	553388	5346947	86.95%	3.200%
6	7.368	7.323	7.468	BB	418973	4248085	69.08%	2.542%
7	8.563	8.519	8.620	BB	535450	5566370	90.52%	3.331%
8	8.668	8.627	8.744	BB	441387	4312980	70.14%	2.581%
9	8.968	8.937	9.051	VB	442694	4577312	74.43%	2.739%
10	9.756	9.712	9.851	BB	394608	4280654	69.61%	2.562%
11	10.169	10.121	10.227	BB	535488	5897971	95.91%	3.530%
12	11.161	11.103	11.209	BV	369655	4008847	65.19%	2.399%
13	11.237	11.209	11.339	VB	351751	3947503	64.19%	2.362%
14	11.611	11.566	11.671	BB	543053	6149458	100.00%	3.680%
15	11.927	11.884	11.984	BB	388102	4228915	68.77%	2.531%
16	12.920	12.877	12.950	BV	514610	6013953	97.80%	3.599%
17	12.981	12.950	13.068	VB	336600	3803133	61.85%	2.276%
18	13.280	13.232	13.317	BV	343660	3800201	61.80%	2.274%
19	13.362	13.317	13.421	VB	275849	3379832	54.96%	2.023%
20	13.531	13.493	13.582	M	512628	5968216	97.05%	3.572%
21	14.117	14.079	14.171	BB	492461	5984987	97.33%	3.582%
22	15.159	15.113	15.178	BV	254340	3225228	52.45%	1.930%
23	15.203	15.178	15.207	M	349701	3273741	53.24%	1.959%
24	15.220	15.207	15.264	M	488241	5912268	96.14%	3.538%
25	16.241	16.189	16.296	BB	460200	5812730	94.52%	3.479%
26	16.716	16.662	16.731	BV	241110	3247283	52.81%	1.943%
27	16.748	16.731	16.838	VB	266525	3142327	51.10%	1.881%
28	17.096	17.046	17.152	BV	212281	2809697	45.69%	1.682%
29	17.188	17.152	17.258	VB	425153	5714863	92.93%	3.420%
30	18.077	18.033	18.128	M	404631	5515593	89.69%	3.301%
31	18.470	18.419	18.485	BV	200059	2605881	42.38%	1.560%
32	18.505	18.485	18.628	VB	171400	2527820	41.11%	1.513%
33	18.725	18.667	18.834	BB	214470	3039060	49.42%	1.819%
34	18.909	18.849	18.959	BB	395171	5411682	88.00%	3.239%
35	19.692	19.651	19.756	BB	344217	4954721	80.57%	2.965%
36	20.433	20.386	20.483	M	282062	4188256	68.11%	2.507%

rteres
 37 21.168 21.106 21.219 BB 217111 3709632 60.32% 2.220%
 38 22.076 21.997 22.168 BB 142013 3387005 55
 Sum of corrected areas: 1670

Aliphatic EPH 121722.M Wed Dec 28 17:29:16 2022

Instrument :
 FID_E
 ClientSampleId :
 PB149941BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/29/2022
 Supervised By :Ankita Jodhani 12/29/2022